

"To encourage the observation and study
of the birds of the Toowoomba area."

'76 Bird
Count



President: Bill Jolly,
Ringmere, Withcott, 4344.
Ph: 30.3206

Sec./Treasurer: Alan Graham,
Naliandrah, M.S. 224, Helidon.
Ph: 30.3138

Editor/Librarian: Ron Hopkinson,
50, Bass Street, Toowoomba.
Ph: 35.4952

NEWS-SHEET No. 15 - FEBRUARY, 1977.

For 1976 As part of this news-sheet we are presenting the report of our first Bird Count and the Annual Area Bird Summary, as mentioned in news-sheet No. 14. These reports are the culmination of the Club's first full year of existence and will, we hope, form a basis to which we can add many more.

Because of the holiday recess some contact has been lost between members but we are under way again now. Members' bird sightings are most useful to the Club and your officers would appreciate hearing from you. Addresses and telephone numbers appear on page one.

Bill and Eileen Jolly are now in residence at their new home, "Ringmere", Withcott. There is a dam on the property and Bill has constructed a four-seater, weather-proof hide overlooking the water.

Observing from a hide is possibly a new experience for some members and Bill and Eileen extend a warm welcome to all Club members to visit them. Although "Ringmere" is in its infancy as a Nature Park, we have a resident Wood Duck, and Herons feeding regularly and I think you would find it interesting to see it develop.

Club officers are currently planning Field Days for 1977. If you would like to visit a particular area or would like to see a particular species please contact one of us and we can arrange a Field Day to suit. If there are campers in our numbers let's hear from you and together we can plan a camp-out.

We are pleased to note that orders for ten copies of The Readers Digest "Complete Book of Australian Birds" have been received in response to our announcement of its availability.

Ron Hopkinson,
Editor.

NEW TOOWOOMBA BIRDS.

167 Oriental Cuckoo (*Cuculus saturatus*). 25.2.77. "Naliandrah", Withcott. Alan and Sylvia Graham.

A single large grey bird with pale underside similar in appearance to Pallid Cuckoo but with heavy barring on underparts. Long tail and general flight typical of cuckoos.


MEMBERS' BIRD NOTES.

Emu. (2 birds) 30.1.77. Near Tummaville. RW. JW.
Little Black Cormorant. 24.2.77. Lake Annand. EJ.
Cattle Egret. 23.2.77. Alderley St. WJ.
Jabiru. 20.2.77. Dyer's Lagoon. Members on Field Day.
Glossy Ibis. 2.1.77. Macquarie Downs. RW. JW.
Royal Spoonbill. 6.2.77. Withcott. CB. EJ. WJ.
Black Kite. (2 birds) 15.2.77. Southbrook. RW. JW.
Spotted Harrier. 11.2.77. Westbrook. RW. JW.
Marsh Cuckoo. 11.1.77. Maranoa Treatment Works. CE. RE.

Ph: 30.3206

Sec./Treasurer: Alan Graham,
Naliandrah, M.S. 224, Helidon.
Ph: 30.3138

Editor/Librarian: Ron Hopkinson,
50, Bass Street, Toowoomba.
Ph: 35.4952



NEWS-SHEET No. 15 - FEBRUARY, 1977.

for 1976 As part of this news-sheet we are presenting the report of our first Bird Count and the Annual Area Bird Summary, as mentioned in news-sheet No. 14. These reports are the culmination of the Club's first full year of existence and will, we hope, form a basis to which we can add many more.

Because of the holiday recess some contact has been lost between members but we are under way again now. Members' bird sightings are most useful to the Club and your officers would appreciate hearing from you. Addresses and telephone numbers appear on page one.

Bill and Eileen Jolly are now in residence at their new home, "Ringmere", Withcott. There is a dam on the property and Bill has constructed a four-seater, weather-proof hide overlooking the water.

Observing from a hide is possibly a new experience for some members and Bill and Eileen extend a warm welcome to all Club members to visit them. Although "Ringmere" is in its infancy as a Nature Park, we have a resident Wood Duck, and Herons feeding regularly and I think you would find it interesting to see it develop.

Club officers are currently planning Field Days for 1977. If you would like to visit a particular area or would like to see a particular species please contact one of us and we can arrange a Field Day to suit. If there are campers in our numbers let's hear from you and together we can plan a camp-out.

We are pleased to note that orders for ten copies of The Readers Digest "Complete Book of Australian Birds" have been received in response to our announcement of its availability.

Ron Hopkinson,
Editor.

NEW TOOWOOMBA BIRDS.

167 Oriental Cuckoo (*Cuculus saturatus*). 25.2.77. "Naliandrah", Withcott. Alan and Sylvia Graham.

A single large grey bird with pale underside similar in appearance to Pallid Cuckoo but with heavy barring on underparts. Long tail and general flight typical of cuckoos.

MEMBERS' BIRD NOTES.

Emu. (2 birds) 30.1.77. Near Tummaville. RW. JW.
Little Black Cormorant. 24.2.77. Lake Annand. EJ.
Cattle Egret. 23.2.77. Alderley St. WJ.
Jabiru. 20.2.77. Dyer's Lagoon. Members on Field Day.
Glossy Ibis. 2.1.77. Macquarie Downs. RW. JW.
Royal Spoonbill. 6.2.77. Withcott. CB. EJ. WJ.
Black Kite. (2 birds) 15.2.77. Southbrook. RW. JW.
Spotted Harrier. 11.2.77. Westbrook. RW. JW.
Marsh Crane. 11.1.77. Maranoa Treatment Works. CE. RE.
Spotted Crane. 11.1.77. " " " CE. RE.
Brolga. (2 birds) 30.1.77. Near Tummaville. RW. JW.
Japanese Snipe. 20.2.77. Dyer's Lagoon. Members on Field Day.

(cont/d.)

MEMBERS' BIRD NOTES (cont/d.)

Little Corella. (200) 30.1.77. Yandilla Lagoon. RW. JW.
Singing Bushlark. 2.1.77. Macquarie Downs. RW. JW.
Jacky Winter. 14.2.77. Withcott. EJ. WJ.
Restless Flycatcher. (feeding juvenile) 5.12.76. Millmerran. RW. JW.
Broad-tailed Thornbill. 24.1.77. Home garden. Pittsworth. RW. JW.
Varied Sittella. 13.2.77. Koorootang. EJ. WJ.
Little Friarbird. 23.2.77. Withcott. SG. AG. EJ. WJ.
Blue-faced Honeyeater. 16.2.77. Withcott. EJ.
Spangled Drongo. (2 birds) 12.2.77. Ramsay St. (South). REH.

CB: Chris Bianchi. CE: Chris Eley. RE: Reg Eley. SG: Sylvia Graham. AG: Alan Graham.
REH: Ron Hopkinson. EJ: Eileen Jolly. WJ: Bill Jolly. RW: Ruth Walter. JW: John
Walter.

OBSERVATIONS ON A PAIR OF BLACK-SHOULDERED KITES.

A group of Red-rumped Parrots (*Psephotus haematonotus*) were nesting in Eucalypt trees to the west of the road where Westbrook creek cuts the Wyreema Road. I was observing these birds while taking part in the Toowoomba Bird Club's Bird Count on Sunday, 10th October, 1976.

A pair of Black-shouldered Kites (*Elanus notatus*) were hunting in the vicinity. On sighting the parrots the kites hovered over the trees where the parrots were nesting. One of the kites drifted away about twenty metres and hovered about ten metres above tree top level. The other kite hovered lower and lower over the parrots until it was directly above and about one metre away from them. This kite started making threatening movements towards the parrots in the tree and at the same time making sharp, high-pitched whistling noises. The parrots were frightened out of their cover and started to fly to a nearby tree. The kite that was hovering up higher took the opportunity and dived at the parrots. The attack was mistimed and the parrots escaped.

Then the kites reversed roles and continued to harass the parrots in this way for some time. This co-operative hunting is all the more noteworthy when it is considered that the kite is usually seen hunting alone.

John Coman.

LETTER FROM ENGLAND. 3.1.77.

England is currently experiencing an unprecedented influx of migratory birds. Hard weather birds, ranging from swans to rare finches are flooding into southern England from northern Europe in such unprecedented numbers that predictions of Arctic weather to come are increasing.

A herd of 200 Bewick Swans, the largest ever recorded in east Norfolk and more than double the normal winter average has taken possession of a marsh north of the Acle New Road five miles from Yarmouth.

The arrival of the Bewick Swans from the Arctic zone of Russia follows that of smaller herds of Whooper Swans from Iceland and Lapland - birds whose presence in East Anglia is always a sign of a hard winter.

With them have come equally "ominous" birds, White-fronted Geese from Russia and Pink-footed Geese from Iceland.

So many of these and other geese from Siberia are descending on the Wildfowl Trust reserves that an appeal for wheat and barley for emergency rations is being made by Sir Peter Scott's organisation at Slimbridge in Gloucestershire. Trust officials are distributing seven cwt. of wheat and barley every day to swans, geese and wild duck. They are planning to increase this to nine cwt. in the wake of severe snow in the Gloucester/Cheltenham areas.

Alan Graham.

FIELD DAY REPORT - 20.2.77.

"Great weather for ducks". A familiar greeting and one which was put to the test on the February Field Day. Because the planned venue was unavoidably not available, it was agreed to ignore the inclement weather and take in Lake Clarendon and Dyer's

Varied Sittella. 13.2.77. Koorootang. EJ. WJ.
Little Friarbird. 23.2.77. Withcott. SG. AG. EJ. WJ.
Blue-faced Honeyeater. 16.2.77. Withcott. EJ.
Spangled Drongo. (2 birds) 12.2.77. Ramsay St. (South). REH.

CB: Chris Bianchi. CE: Chris Eley. RE: Reg Eley. SG: Sylvia Graham. AG: Alan Graham.
REH: Ron Hopkinson. EJ: Eileen Jolly. WJ: Bill Jolly. RW: Ruth Walter. JW: John
Walter.

OBSERVATIONS ON A PAIR OF BLACK-SHOULDERED KITES.

A group of Red-rumped Parrots (*Psephotus haematonotus*) were nesting in Eucalypt trees to the west of the road where Westbrook creek cuts the Wyreema Road. I was observing these birds while taking part in the Toowoomba Bird Club's Bird Count on Sunday, 10th October, 1976.

A pair of Black-shouldered Kites (*Elanus notatus*) were hunting in the vicinity. On sighting the parrots the kites hovered over the trees where the parrots were nesting. One of the kites drifted away about twenty metres and hovered about ten metres above tree top level. The other kite hovered lower and lower over the parrots until it was directly above and about one metre away from them. This kite started making threatening movements towards the parrots in the tree and at the same time making sharp, high-pitched whistling noises. The parrots were frightened out of their cover and started to fly to a nearby tree. The kite that was hovering up higher took the opportunity and dived at the parrots. The attack was mistimed and the parrots escaped.

Then the kites reversed roles and continued to harass the parrots in this way for some time. This co-operative hunting is all the more noteworthy when it is considered that the kite is usually seen hunting alone.

John Coman.

LETTER FROM ENGLAND. 3.1.77.

England is currently experiencing an unprecedented influx of migratory birds. Hard weather birds, ranging from swans to rare finches are flooding into southern England from northern Europe in such unprecedented numbers that predictions of Arctic weather to come are increasing.

A herd of 200 Bewick Swans, the largest ever recorded in east Norfolk and more than double the normal winter average has taken possession of a marsh north of the Acle New Road five miles from Yarmouth.

The arrival of the Bewick Swans from the Arctic zone of Russia follows that of smaller herds of Whooper Swans from Iceland and Lapland - birds whose presence in East Anglia is always a sign of a hard winter.

With them have come equally "ominous" birds, White-fronted Geese from Russia and Pink-footed Geese from Iceland.

So many of these and other geese from Siberia are descending on the Wildfowl Trust reserves that an appeal for wheat and barley for emergency rations is being made by Sir Peter Scott's organisation at Slimbridge in Gloucestershire. Trust officials are distributing seven cwt. of wheat and barley every day to swans, geese and wild duck. They are planning to increase this to nine cwt. in the wake of severe snow in the Gloucester/Cheltenham areas.

Alan Graham.

FIELD DAY REPORT - 20.2.77.

"Great weather for ducks". A familiar greeting and one which was put to the test on the February Field Day. Because the planned venue was unavoidably not available, it was agreed to ignore the inclement weather and take in Lake Clarendon and Dyer's Lagoon to see if, in fact, the wet weather was beneficial to members of the order Anseriformes.

A couple of showers at Clarendon caused umbrellas to be erected. These protected not only the watcher but the binoculars from drops of rain. Can any member suggest

(cont/d.)

FIELD DAY REPORT - 20.2.77. (cont/d.)

a device that will permit holding an umbrella with one hand the the glasses with the other two?

Dyer's Lagoon was interesting, as usual. With regular visits this area seems to produce some interesting sightings. The highlight of the day was a magnificent specimen of a mature female Jabiru. Members had her in view for about thirty minutes before she took off for points unknown. The result of the trip was a good day's birding for members who returned home satisfied that the weather was good for ducks and duck-watchers.

Ron Hopkinson.

Composite list for Lake Clarendon and Dyer's Lagoon - 20.2.77.

- | | |
|------------------------|---------------------------|
| Little Grebe | Lotusbird |
| Darter | Masked Plover |
| Little Pied Cormorant | Red-kneed Dotterel |
| Black Cormorant | Black-fronted Dotterel |
| Little Black Cormorant | Pied Stilt |
| White-necked Heron | Japanese Snipe |
| White-faced Heron | Sharp-tailed Sandpiper |
| Cattle Egret | Domestic Pigeon |
| Large Egret | Galah |
| Plumed Egret | Kookaburra |
| Jabiru | Sacred Kingfisher |
| White Ibis | Welcome Swallow |
| Straw-necked Ibis | Fairy Martin |
| Royal Spoonbill | Black-faced Cuckoo-shrike |
| Black Swan | Noisy Miner |
| Black Duck | House Sparrow |
| Grey Teal | Common Starling |
| White-eyed Duck | Common Myna |
| Nankeen Kestrel | Australian Magpie-lark |
| Dusky Moorhen | Pied Butcherbird |
| Swamphen | Australian Magpie |
| Coot | Torresian Crow. |

FIELD DAY FOR MARCH.

Date: Sunday, 27th. March, 1977. Place: Koorootang. Leader: Alan Graham.
Assembly Point: Pigott's car park. Time: 8.30 a.m.

NEW MEMBERS.

The club is pleased to welcome Barry Kenway, 14, Alfred Street, Toowoomba.

PUBLICATIONS RECEIVED.

Q.O.S. Newsletters for October 1976, December 1976, January 1977.
Urimbirra Newsletter for January 1977.

ooo 000 ooo

STOP PRESS

Readers Digest books have now arrived and are available for collection from Bill

produce some interesting sightings. The highlight of the day was a magnificent specimen of a mature female Jabiru. Members had her in view for about thirty minutes before she took off for points unknown. The result of the trip was a good day's birding for members who returned home satisfied that the weather was good for ducks and duck-watchers.

Ron Hopkinson.

Composite list for Lake Clarendon and Dyer's Lagoon - 20.2.77.

Little Grebe	Lotusbird
Darter	Masked Plover
Little Pied Cormorant	Red-kneed Dotterel
Black Cormorant	Black-fronted Dotterel
Little Black Cormorant	Pied Stilt
White-necked Heron	Japanese Snipe
White-faced Heron	Sharp-tailed Sandpiper
Cattle Egret	Domestic Pigeon
Large Egret	Galah
Plumed Egret	Kookaburra
Jabiru	Sacred Kingfisher
White Ibis	Welcome Swallow
Straw-necked Ibis	Fairy Martin
Royal Spoonbill	Black-faced Cuckoo-shrike
Black Swan	Noisy Miner
Black Duck	House Sparrow
Grey Teal	Common Starling
White-eyed Duck	Common Myna
Nankeen Kestrel	Australian Magpie-lark
Dusky Moorhen	Pied Butcherbird
Swamphen	Australian Magpie
Coot	Torresian Crow.

FIELD DAY FOR MARCH.

Date: Sunday, 27th. March, 1977. Place: Koorootang. Leader: Alan Graham.
Assembly Point: Pigott's car park. Time: 8.30 a.m.

NEW MEMBERS.

The club is pleased to welcome Barry Kenway, 14, Alfred Street, Toowoomba.

PUBLICATIONS RECEIVED.

Q.O.S. Newsletters for October 1976, December 1976, January 1977.
Urimbirra Newsletter for January 1977.

ooo 000 ooo

STOP PRESS

Readers Digest books have now arrived and are available for collection from Bill Jolly.

FIRST ANNUAL BIRD COUNT - TOOWOOMBA BIRD CLUB - 10.10.76.

The weather on the first of our proposed Annual Bird Counts was the deciding factor in the number of birds actually observed. Although sunny, strong winds and cool temperatures kept many species well hidden. Many species normally seen in the area were not observed at all and numbers of individuals of those species recorded were well below normal.

Most notable of the species recorded were the White-breasted Wood-swallow (1) and Masked Wood-swallow (2) both of which were new species for the Toowoomba area and comparatively rare in S.E. Queensland. Both species were recorded below the Great Dividing Range near Blanchview. Other notable species which were only recent additions to the Toowoomba "list" at the time of the count were Tawny Grassbird, Red Wattlebird, Darter, Nankeen Night Heron, Common Bronzewing and Rufous-tailed Bronze Cuckoo. A single Powerful Owl was amongst many species recorded from Redwood Park.

In total 5355 individual birds, comprising 123 species were observed during the day. This was a very creditable count considering the prevailing weather conditions.

This Bird Count, which was arranged to coincide with one organised by the Q.O.S. covered the area usually investigated by Toowoomba Bird Club members viz. that area within a 10 km. radius of the Margaret Street Post Office. This area contains a wide variety of habitats including the Downs scrublands in the west, the Range escarpment of vine-scrub and open eucalypt forest, and the open eucalypt, acacia and dry scrub areas in the east. This variety of habitats resulted in the observation of western species such as the White-winged Chough, vine-scrub and rainforest species such as the Regent Bowerbird, Brown Pigeon, White-headed Pigeon and Powerful Owl, and the migratory species such as the White-breasted and Masked Wood-swallows in the east.

Sixteen Club members comprising eight teams took part in the count. Each team was allocated an area (or areas) within the 10 km. radius and no overlap of areas occurred. All sightings made by each team were confirmed by both members of that team as were all identifications based on call.

The Club wishes to express its thanks to all members who took part in the count and helped to make it a success in spite of the weather. Also our thanks are offered to Dr. L. Boyce for his contributions of sightings made within his rainforest property on the edge of the Range.

It is proposed that Annual Bird Counts will be organised each October and that over the years an overall view of species in this area will be obtained.

A full list of the species observed and the numbers of individuals of each species is attached.

Alan Graham.

Those participating in the count included:- Chris Bianchi, Sheila Bianchi, Leslie Boyce, Graham Corbin, Jim Corbin, John Coman, Veronica Coman, Ian Cowan, Alan Graham, Sylvia Graham, Kerrie Hobson, Rod Hobson, Ron Hopkinson, Bill Jolly, Eileen Jolly.

At the same time five more club members (Dianne Hayden, Marilyn Jacobs, John and Ruth Walter and Vera Simon) were lending their wight to the simultaneous Q.O.S. Bird Count.

were not observed at all and numbers of individuals of those species recorded were well below normal.

Most notable of the species recorded were the White-breasted Wood-swallow (1) and Masked Wood-swallow (2) both of which were new species for the Toowoomba area and comparatively rare in S.E. Queensland. Both species were recorded below the Great Dividing Range near Blanchview. Other notable species which were only recent additions to the Toowoomba "list" at the time of the count were Tawny Grassbird, Red Wattlebird, Darter, Nankeen Night Heron, Common Bronzewing and Rufous-tailed Bronze Cuckoo. A single Powerful Owl was amongst many species recorded from Redwood Park.

In total 5355 individual birds, comprising 123 species were observed during the day. This was a very creditable count considering the prevailing weather conditions.

This Bird Count, which was arranged to coincide with one organised by the Q.O.S. covered the area usually investigated by Toowoomba Bird Club members viz. that area within a 10 km. radius of the Margaret Street Post Office. This area contains a wide variety of habitats including the Downs scrublands in the west, the Range escarpment of vine-scrub and open eucalypt forest, and the open eucalypt, acacia and dry scrub areas in the east. This variety of habitats resulted in the observation of western species such as the White-winged Chough, vine-scrub and rainforest species such as the Regent Bowerbird, Brown Pigeon, White-headed Pigeon and Powerful Owl, and the migratory species such as the White-breasted and Masked Wood-swallows in the east.

Sixteen Club members comprising eight teams took part in the count. Each team was allocated an area (or areas) within the 10 km. radius and no overlap of areas occurred. All sightings made by each team were confirmed by both members of that team as were all identifications based on call.

The Club wishes to express its thanks to all members who took part in the count and helped to make it a success in spite of the weather. Also our thanks are offered to Dr. L. Boyce for his contributions of sightings made within his rainforest property on the edge of the Range.

It is proposed that Annual Bird Counts will be organised each October and that over the years an overall view of species in this area will be obtained.

A full list of the species observed and the numbers of individuals of each species is attached.

Alan Graham.

Those participating in the count included:- Chris Bianchi, Sheila Bianchi, Leslie Boyce, Graham Corbin, Jim Corbin, John Coman, Veronica Coman, Ian Cowan, Alan Graham, Sylvia Graham, Kerrie Hobson, Rod Hobson, Ron Hopkinson, Bill Jolly, Eileen Jolly.

At the same time five more club members (Dianne Hayden, Marilyn Jacobs, John and Ruth Walter and Vera Simon) were lending their weight to the simultaneous Q.O.S. Bird Count.

TOOWOOMBA BIRD CLUB - ANNUAL BIRD COUNT - 10.10.76.

LIST OF SPECIES AND NUMBERS.

Little Grebe	4	Golden Whistler	5
Darter	1	Rufous Whistler	6
Little Pied Cormorant	6	Grey Shrike-thrush	7
Little Black Cormorant	8	Black-faced Monarch	1
White-necked Heron	9	Spectacled Monarch	2
White-faced Heron	30	Leaden Flycatcher	2
Plumed Egret	1	Restless Flycatcher	4
Nankeen Night Heron	2	Rufous Fantail	2
White Ibis	53	Grey Fantail	6
Straw-necked Ibis	96	Willie Wagtail	35
Yellow-billed Spoonbill	3	Eastern Whipbird	34
Black Duck	139	Grey-crowned Babbler	15
Grey Teal	4	Tawny Grassbird	2
Wood Duck	17	Golden-headed Cisticola	19
Black-shouldered Kite	28	Rufous Songlark	1
Crested Hawk	3	Superb Blue Wren	76
Brown Goshawk	1	Variiegated Wren	17
Wedge-tailed Eagle	3	Red-backed Wren	33
Nankeen Kestrel	64	White-browed Scrub-wren	24
Brush Turkey	2	Speckled Warbler	3
Stubble Quail	1	White-throated Warbler	22
Dusky Moorhen	1	Brown Thornbill	6
Masked Plover	23	Yellow-rumped Thornbill	8
Banded Plover	36	Striated Thornbill	25
White-headed Pigeon	4	Variied Sittella	3
Domestic Pigeon	175	White-throated Tree-creeper	7
Brown Pigeon	1	Red Wattle-bird	1
Spotted Dove	2	Noisy Friarbird	16
Peaceful Dove	6	Little Friarbird	27
Bar-shouldered Dove	26	Blue-faced Honeyeater	11
Common Bronzewing	3	Noisy Miner	110
Crested Pigeon	48	Lewin's Honeyeater	66
Red-tailed Black Cockatoo	7	Yellow-faced Honeyeater	4
Galah	201	White-naped Honeyeater	12
Rainbow Lorikeet	5	Brown Honeyeater	12
Scaly-breasted Lorikeet	218	Scarlet Honeyeater	2
Little Lorikeet	4	Mistletoe-bird	4
King Parrot	11	Spotted Pardalote	26
Cockatiel	30	Striated Pardalote	44
Pale-headed Rosella	63	Silvereye	68
Red-rumped Parrot	32	House Sparrow	213
Fan-tailed Cuckoo	1	Red-browed Firetail	114
* Rufous-tailed Bronze Cuckoo	2	Zebra Finch	62
Indian Koel	1	Double-barred Finch	188
Chammel-billed Cuckoo	7	Common Starling	1250
Pheasant Coucal	1	Common Myna	256
Powerful Owl	1	Olive-backed Oriole	10
Tawny Frogmouth	2	Green Figbird	3
Azure Kingfisher	5	Spangled Drongo	6
Kookaburra	48	Satin Bowerbird	12
Sacred Kingfisher	4	Australian Regentbird	3
Rainbow Bee-eater	5	White-winged Chough	1
Dollar Bird	8	Australian Magpie-lark	79
White-backed Swallow	11	White-breasted Wood-swallow	1
Welcome Swallow	30	Masked Wood-swallow	2
Tree Martin	32	Dusky Wood-swallow	5
Fairy Martin	37	Grey Butcherbird	45
Richard's Pipit	4	Pied Butcherbird	18
Black-faced Cuckoo-shrike	91	Australian Magpie	240
Variied Triller	1	Pied Currawong	89
Eastern Yellow Robin	3	Australian Raven	4
		Torresian Crow	331.

Little Pied Cormorant	8	Black-faced Monarch	1
White-necked Heron	9	Spectacled Monarch	2
White-faced Heron	30	Leaden Flycatcher	2
Plumed Egret	1	Restless Flycatcher	4
Nankeen Night Heron	2	Rufous Fantail	2
White Ibis	53	Grey Fantail	6
Straw-necked Ibis	96	Willie Wagtail	35
Yellow-billed Spoonbill	3	Eastern Whipbird	34
Black Duck	139	Grey-crowned Babbler	15
Grey Teal	4	Tawny Grassbird	2
Wood Duck	17	Golden-headed Cisticola	19
Black-shouldered Kite	28	Rufous Songlark	1
Crested Hawk	3	Superb Blue Wren	76
Brown Goshawk	1	Variiegated Wren	17
Wedge-tailed Eagle	3	Red-backed Wren	33
Nankeen Kestrel	64	White-browed Scrub-wren	24
Brush Turkey	2	Speckled Warbler	3
Stubble Quail	1	White-throated Warbler	22
Dusky Moorhen	1	Brown Thornbill	6
Masked Plover	23	Yellow-rumped Thornbill	8
Banded Plover	36	Striated Thornbill	25
White-headed Pigeon	4	Variied Sittella	3
Domestic Pigeon	175	White-throated Tree-creeper	7
Brown Pigeon	1	Red Wattle-bird	1
Spotted Dove	2	Noisy Friarbird	16
Peaceful Dove	6	Little Friarbird	27
Bar-shouldered Dove	26	Blue-faced Honeyeater	11
Common Bronzewing	3	Noisy Miner	110
Crested Pigeon	48	Lewin's Honeyeater	66
Red-tailed Black Cockatoo	7	Yellow-faced Honeyeater	4
Galah	201	White-naped Honeyeater	12
Rainbow Lorikeet	5	Brown Honeyeater	12
Scaly-breasted Lorikeet	218	Scarlet Honeyeater	2
Little Lorikeet	4	Mistletoe-bird	4
King Parrot	11	Spotted Pardalote	26
Cockatiel	30	Striated Pardalote	44
Pale-headed Rosella	63	Silvereye	68
Red-rumped Parrot	32	House Sparrow	213
Fan-tailed Cuckoo	1	Red-browed Firetail	114
* Rufous-tailed Bronze Cuckoo	2	Zebra Finch	62
Indian Koel	1	Double-barred Finch	188
Channel-billed Cuckoo	7	Common Starling	1250
Pheasant Coucal	1	Common Myna	256
Powerful Owl	1	Olive-backed Oriole	10
Tawny Frogmouth	2	Green Figbird	3
Azure Kingfisher	5	Spangled Drongo	6
Kookaburra	48	Satin Bowerbird	12
Sacred Kingfisher	4	Australian Regentbird	3
Rainbow Bee-eater	5	White-winged Chough	1
Dollar Bird	8	Australian Magpie-lark	79
White-backed Swallow	11	White-breasted Wood-swallow	1
Welcome Swallow	30	Masked Wood-swallow	2
Tree Martin	32	Dusky Wood-swallow	5
Fairy Martin	37	Grey Butcherbird	45
Richard's Pipit	4	Pied Butcherbird	18
Black-faced Cuckoo-shrike	91	Australian Magpie	240
Variied Triller	1	Pied Currawong	89
Eastern Yellow Robin	3	Australian Raven	4
		Torresian Crow	331.

TOOWOOMBA BIRD CLUB
ANNUAL BIRD SUMMARY, 1976.

This first Annual Bird Summary covers the period 1st. January to 31st. December, 1976, and is based upon members' sightings during that year.

Sightings are taken over the area contained within a 10 km radius of the Margaret Street Post Office. As outlined in News-sheet No. 9 - July 1976, this circle includes the whole of Redwood and Jubilee Parks, Withcott, Blanchview, much of Flagstone Creek Road, just excludes the Lions' Park on Warwick Road and includes Drayton, Gowrie Junction and the Blue Mountain Estate off the Crow's Nest Road.

At the club's inception in October 1975 an existing list of 131 species identified in our area between June 1973 and October 1975 was adopted as a base upon which to build a comprehensive Toowoomba Bird List. As a matter of record this original 131 have all since been confirmed within the area by members.

During the period October - December 1975, 7 new species were added to the Toowoomba List and during 1976 a further 28 new species were observed, bringing the total list to 166 species as at 31st December 1976.

In all cases details of dates, locales and observers are on record. A new species is not added to the Toowoomba List until it is reliably confirmed by at least two club members.

Reference to News-sheets 1 through 14 will provide full details in respect of the 35 additions for 1975/76.

Eight species identified by club members prior to 1st January 1976 were not recorded during the year. They are: Cattle Egret, Grey Goshawk, Golden Bronze Cuckoo, Noisy Pitta, Satin Flycatcher, Shrike Tit, Spiny-cheeked Honeyeater and White-browed Wood-swallow.

In addition to the 158 species listed below a further four species have been recorded by members during 1976, but unfortunately without the benefit of confirmation by a second member. These species, which have not as yet been admitted to our Toowoomba List, are: Squatter Pigeon (19.1.76), Red-capped Robin (16.6.76), Peregrine Falcon (29.6.76), and Collared Sparrowhawk (3.8.76).

Regrettably, due to a misplacement of information during a change of officers, a portion of the club's records relating to identifications (other than of new Toowoomba birds) during the first four months of 1976 exists only in summary form. Where a species has been recorded during that period but the month of identification may not be reliably stated, the record for that month is represented by an X rather than by the number of the month.

Ron Hopkinson,
Editor/Records Officer.

SYSTEMATIC LIST, 1976.

<u>Species Name.</u>	<u>Months Recorded.</u>											
Little Grebe	1	2	3	4	5				9	10		
Darter	1	X	X	X						10		
Little P. Cormorant	X	2	X	4		6	7	8	9	10		
Black Cormorant								8			11	12
Little Bl. Cormorant	X	2	X	4			7	8	9	10		12
White-necked Heron	1	2	X	4		6	7	8	9	10	11	12
White-faced Heron	1	2	3	4	5	6	7	8	9	10	11	12
Large Egret	X	X	X	X			7				11	
Plumed Egret							7	8	9	10		
Nankeen Night Heron										10		12
White Ibis	1	2	3	4		6	7	8	9	10		12
Straw-necked Ibis	1	2	3	4	5	6	7	8	9	10		12
Royal Spoonbill	X	X	X	4								
Yellow-b. Spoonbill	X	X	X	X				8	9	10		12
Plumed Tree-duck	1	X	X	X								
Black Duck	1	2	3	4	5	6	7	8	9	10	11	12
Grey Teal	X	X	X	4		6	7			10		
Wood Duck	1	2	3	4		6	7	8	9	10	11	12
Black-sh. Kite	1	2	3	4	5	6	7	8	9	10	11	
Crested Hawk	1						7			10		
Brown Goshawk					5		7	8		10		12
Wedge-tailed Eagle	X	2	X	4	5	6	7	8		10		12
Spotted Harrier				4			7	8	9			
Black Falcon									9			
Little Falcon				4				8	9	10		
Brown Falcon	X	X	X	X					9			
Nankeen Kestrel	1	2	3	4	5	6	7	8	9	10	11	12
Brush Turkey										10		
Stubble Quail	X	X	X	X						10		
Dusky Moorhen	X	2	X	X		6	7	8	9	10		
Swamphen	X	2	X	X	5	6	7	8	9	10		12
Coot	X	2	X	X								
Masked Plover	1	2	3	4	5	6	7	8	9	10	11	12
Banded Plover	1	2	3	4	5	6	7	8	9	10		
Sooty Tern	1(Dead)											
White-headed Pigeon							7	8	9	10		12
Domestic Pigeon	1	2	3	4	5	6	7	8	9	10	11	12
Spotted Dove	1	2	3	4	5	6	7	8	9	10		
Brown Pigeon				4			7		9	10		
Peaceful Dove				4	5	6			9	10		12
Bar-shouldered Dove	1	2	3	4		6	7	8	9	10	11	12
Emerald Dove							7	8		10		12
Common Bronzewing									9	10		
Crested Pigeon	1	2	3	4	5	6	7	8	9	10	11	12
Wonga Pigeon						6						
Red-t. Black Cockatoo								8		10		
Galah	1	2	3	4	5	6	7	8	9	10	11	12
Sulphur-cr. Cockatoo								8				
Rainbow Lorikeet	1	2	3	4	5	6	7	8	9	10		12
Scaly-br. Lorikeet	1	2	3	4	5	6	7	8	9	10	11	
Musk Lorikeet								8	9			
Little Lorikeet	X	X	X	X				8	9	10		
King Parrot				4		6	7	8		10		12
Cockatiel	1	2	3	4		6		8	9	10		
Crimson Rosella												12
Eastern Rosella								8				12
Pale-headed Rosella	1	2	3	4	5	6	7	8	9	10	11	12
Red-rumped Parrot	1	2	3	X	5	6	7	8	9	10		
Pallid Cuckoo		2						8		10		12
Brush Cuckoo	1											
Fan-tailed Cuckoo	1	2	3	4	5	6	7			10		12
Rufous-t. Bronze Cuckoo		2								10		
Indian Koel	1	2	3	4				8		10	11	12
Channel-b. Cuckoo	X	2	X	X						10		12
Pheasant Coucal	X	2	3	4						10		12

Feb. '76

(2)

Little Bl. Cormorant	X	2	X	4									
White-necked Heron	1	2	X	4		6	7	8	9	10	11	12	
White-faced Heron	1	2	3	4	5	6	7	8	9	10	11	12	
Large Egret	X	X	X	X			7				11		
Plumed Egret							7	8	9	10			
Nankeen Night Heron										10		12	
White Ibis	1	2	3	4		6	7	8	9	10		12	
Straw-necked Ibis	1	2	3	4	5	6	7	8	9	10		12	
Royal Spoonbill	X	X	X	4									
Yellow-b. Spoonbill	X	X	X	X				8	9	10		12	
Plumed Tree-duck	1	X	X	X									
Black Duck	1	2	3	4	5	6	7	8	9	10	11	12	
Grey Teal	X	X	X	4		6	7			10			
Wood Duck	1	2	3	4		6	7	8	9	10	11	12	
Black-sh. Kite	1	2	3	4	5	6	7	8	9	10	11		
Crested Hawk	1						7			10			
Brown Goshawk					5		7	8		10		12	
Wedge-tailed Eagle	X	2	X	4	5	6	7	8		10		12	
Spotted Harrier				4			7	8	9				
Black Falcon									9				
Little Falcon				4				8	9	10			
Brown Falcon	X	X	X	X					9				
Nankeen Kestrel	1	2	3	4	5	6	7	8	9	10	11	12	
Brush Turkey										10			
Stubble Quail	X	X	X	X						10			
Dusky Moorhen	X	2	X	X		6	7	8	9	10			
Swamphen	X	2	X	X	5	6	7	8	9	10		12	
Coot	X	2	X	X									
Masked Plover	1	2	3	4	5	6	7	8	9	10	11	12	
Banded Plover	1	2	3	4	5	6	7	8	9	10			
Sooty Tern	1(Dead)												
White-headed Pigeon							7	8	9	10		12	
Domestic Pigeon	1	2	3	4	5	6	7	8	9	10	11	12	
Spotted Dove	1	2	3	4	5	6	7	8	9	10			
Brown Pigeon				4			7		9	10			
Peaceful Dove				4	5	6			9	10		12	
Bar-shouldered Dove	1	2	3	4		6	7	8	9	10	11	12	
Emerald Dove							7	8		10		12	
Common Bronzewing									9	10			
Crested Pigeon	1	2	3	4	5	6	7	8	9	10	11	12	
Wonga Pigeon						6							
Red-t. Black Cockatoo								8		10			
Galah	1	2	3	4	5	6	7	8	9	10	11	12	
Sulphur-cr. Cockatoo								8					
Rainbow Lorikeet	1	2	3	4	5	6	7	8	9	10		12	
Scaly-br. Lorikeet	1	2	3	4	5	6	7	8	9	10	11		
Musk Lorikeet								8	9				
Little Lorikeet	X	X	X	X				8	9	10			
King Parrot				4		6	7	8		10		12	
Cockatiel	1	2	3	4		6		8	9	10			
Crimson Rosella												12	
Eastern Rosella								8				12	
Pale-headed Rosella	1	2	3	4	5	6	7	8	9	10	11	12	
Red-rumped Parrot	1	2	3	X	5	6	7	8	9	10			
Pallid Cuckoo			2					8		10		12	
Brush Cuckoo	1												
Fan-tailed Cuckoo	1	2	3	4	5	6	7			10		12	
Rufous-t. Bronze Cuckoo		2								10			
Indian Koel	1	2	3	4				8		10	11	12	
Channel-b. Cuckoo	X	2	X	X						10		12	
Pheasant Coucal	X	2	3	4						10		12	
Powerful Owl							7	8		10	11		
Spotted Owl	1	2	3	4				8		10			
Barn Owl					5								

Feb. '76

	1	2	3	4	5	6	7	8	9	10		
Tawny Frogmouth												
Owlet Nightjar										10		
White-thr. Nightjar												12
Spine-tailed Swift	X	2	X	X						10	11	12
Azure Kingfisher	X	2	X	4		6		8		10		
Kookaburra	1	2	3	4	5	6	7	8	9	10	11	12
Sacred Kingfisher	1	2	3	4		6			9	10	11	12
Rainbow Bee-eater				4				8	9	10		
Dollar Bird	1	2	3	4					9	10	11	12
White-backed Swallow	X	2	X	X		6	7	8	9	10		12
Welcome Swallow	1	2	3	4	5	6	7	8	9	10	11	12
Tree Martin	1	2	3	4					9	10	11	12
Fairy Martin	1	2	3	4				8		10	11	12
Richard's Pipit	X	X	X	X		6	7	8	9	10	11	12
Black-f. Cuckoo-shrike	1	2	3	4	5	6	7	8	9	10	11	12
Yellow-eyed Cuckoo-sh.												12
Cicada Bird												12
White-winged Triller	X	2	X	X								
Varied Triller				4		6		8		10		12
Rose Robin					5	6	7	8				
E. Yellow Robin	1	X	X	4	5	6	7	8		10		12
Jacky Winter	X	2	X	4	5	6	7	8	9	10		12
Golden Whistler	1	X	X	4	5			8		10		12
Rufous Whistler	X	X	3	4	5	6	7	8	9	10		12
Grey Shrike-thrush	1	2	3	4	5	6	7	8	9	10		12
Black-faced Monarch	X	X	X	X						10		
Spectacled Monarch	X	X	X	X						10		
Leaden Flycatcher									9	10		12
Restless Flycatcher	1	X	X	X	5	6	7	8	9	10		
Rufous Fantail	X	X	X	4						10		12
Grey Fantail	X	2	X	4	5	6	7	8	9	10		12
Willie Wagtail	1	2	3	4	5	6	7	8	9	10	11	12
Eastern Whipbird	1	2	3	4	5	6	7	8	9	10	11	12
Grey-crowned Babbler	1	2	3	4	5	6	7	8	9	10	11	12
Tawny Grassbird								8		10		
Golden-headed Cisticola	X	2	X	X	5	6	7	8	9	10		
Rufous Songlark	1	X	X	X						10		
Brown Songlark	X	X	X	X								
Superb Blue Wren	1	2	3	4	5	6	7	8	9	10		12
Variegated Wren	1	2	3	4	5	6	7	8		10		12
Red-backed Wren	1	2	3	4	5	6	7	8		10		12
Wh.-br. Scrub-wren	1	2	3	4	5	6	7			10		12
Speckled Warbler												12
Weebill						6						12
Wh.-thr. Warbler	X	X	X	X	5	6		8	9	10	11	12
Brown Thornbill	X	X	X	X		6	7	8		10		12
Yellow-r. Thornbill	1	2	3	4	5	6	7	8	9	10		
Yellow Thornbill												12
Striated Thornbill	X	X	X	X		6		8		10		
Varied Sittella					5	6	7	8		10	11	12
Wh.-thr. Tree-creeper					5		7	8		10		
Red Wattle-bird									9	10		
Striped Honeyeater	1	X	X	X		6	7	8				
Noisy Friarbird	X	2	X	4				8	9	10		
Little Friarbird	X	2	X	4				8	9	10		12
Blue-f. Honeyeater	X	X	3	X	5	6	7	8	9	10		12
Noisy Miner	1	2	3	4	5	6	7	8	9	10	11	12
Lewin's Honeyeater	1	2	3	4	5	6	7	8	9	10	11	12
Yellow-f. Honeyeater					5			8	9	10		
White-n. Honeyeater								8		10		
Brown Honeyeater				4	5	6	7	8	9	10	11	12
Eastern Spinebill	X	X	X	4		6	7	8				
Scarlet Honeyeater										10		12
Mistletoe Bird	1	2	3	4	5				9	10		12
Spotted Pardalote					5	6	7	8	9	10		
Striated Pardalote	1	2	3	4	5	6	7	8	9	10	11	12
Silvereye	1	2	3	4	5	6	7	8	9	10	11	12

Kookaburra	1	2	3	4	5	6	7	8	9	10	11	12
Sacred Kingfisher	1	2	3	4								
Rainbow Bee-eater				4				8	9	10		
Dollar Bird	1	2	3	4					9	10	11	12
White-backed Swallow	X	2	X	X		6	7	8	9	10		12
Welcome Swallow	1	2	3	4	5	6	7	8	9	10	11	12
Tree Martin	1	2	3	4					9	10	11	12
Fairy Martin	1	2	3	4				8		10	11	12
Richard's Pipit	X	X	X	X		6	7	8	9	10	11	12
Black-f. Cuckoo-shrike	1	2	3	4	5	6	7	8	9	10	11	12
Yellow-eyed Cuckoo-sh.												12
Cicada Bird												12
White-winged Triller	X	2	X	X								12
Varied Triller				4		6		8		10		12
Rose Robin					5	6	7	8				
E. Yellow Robin	1	X	X	4	5	6	7	8		10		12
Jacky Winter	X	2	X	4	5	6	7	8	9	10		12
Golden Whistler	1	X	X	4	5			8		10		12
Rufous Whistler	X	X	3	4	5	6	7	8	9	10		12
Grey Shrike-thrush	1	2	3	4	5	6	7	8	9	10		12
Black-faced Monarch	X	X	X	X						10		
Spectacled Monarch	X	X	X	X						10		
Leaden Flycatcher									9	10		12
Restless Flycatcher	1	X	X	X	5	6	7	8	9	10		12
Rufous Fantail	X	X	X	4						10		12
Grey Fantail	X	2	X	4	5	6	7	8	9	10		12
Willie Wagtail	1	2	3	4	5	6	7	8	9	10	11	12
Eastern Whipbird	1	2	3	4	5	6	7	8	9	10	11	12
Grey-crowned Babbler	1	2	3	4	5	6	7	8	9	10	11	12
Tawny Grassbird										10		
Golden-headed Cisticola	X	2	X	X	5	6	7	8	9	10		
Rufous Songlark	1	X	X	X						10		
Brown Songlark	X	X	X	X								
Superb Blue Wren	1	2	3	4	5	6	7	8	9	10		12
Variegated Wren	1	2	3	4	5	6	7	8		10		12
Red-backed Wren	1	2	3	4	5	6	7	8		10		12
Wh.-br. Scrub-wren	1	2	3	4	5	6	7			10		12
Speckled Warbler												12
Weebill						6						12
Wh.-thr. Warbler	X	X	X	X	5	6		8	9	10	11	12
Brown Thornbill	X	X	X	X		6	7	8		10		12
Yellow-r. Thornbill	1	2	3	4	5	6	7	8	9	10		
Yellow Thornbill												12
Striated Thornbill	X	X	X	X		6		8		10		
Varied Sittella					5	6	7	8		10	11	12
Wh.-thr. Tree-creeper					5		7	8		10		
Red Wattle-bird									9	10		
Striped Honeyeater	1	X	X	X		6	7	8				
Noisy Friarbird	X	2	X	4				8	9	10		12
Little Friarbird	X	2	X	4				8	9	10		12
Blue-f. Honeyeater	X	X	3	X	5	6	7	8	9	10	11	12
Noisy Miner	1	2	3	4	5	6	7	8	9	10	11	12
Lewin's Honeyeater	1	2	3	4	5			8	9	10		
Yellow-f. Honeyeater					5			8		10		
White-n. Honeyeater												12
Brown Honeyeater				4	5	6	7	8	9	10	11	12
Eastern Spinebill	X	X	X	4								12
Scarlet Honeyeater										10		12
Mistletoe Bird	1	2	3	4	5				9	10		12
Spotted Pardalote					5	6	7	8	9	10	11	12
Striated Pardalote	1	2	3	4	5	6	7	8	9	10	11	12
Silvereye	1	2	3	4	5	6	7	8	9	10	11	12

House Sparrow	1	2	3	4	5	6	7	8	9	10	11	12
Red-browed Firetail	1	2	3	4	5	6	7	8	9	10		12
Zebra Finch	X	2	X	X	5					10		
Double-barred Finch	1	2	3	4	5	6	7	8	9	10	11	12
Ch.-br. Mannikin	X	2	X	X								
Common Starling	1	2	3	4	5	6	7	8	9	10	11	12
Common Myna	1	2	3	4	5	6	7	8	9	10	11	12
Olive-backed Oriole				4		6	7	8		10		12
Green Figbird	1	2	X	4	5	6	7	8		10	11	12
Spangled Drongo	X	2	X	X						10		
Satin Bowerbird		2			5		7	8		10		
Aust. Regentbird						6	7	8		10		12
White-winged Chough	1					6				10		
Aust. Magpie-lark	1	2	3	4	5	6	7	8	9	10	11	12
Wh.-br. Wood-swallow										10		
Masked Wood-swallow										10		
Dusky Wood-swallow	X	2	X	X	5	6	7	8	9	10		12
Grey Butcher-bird	1	2	3	4	5	6	7	8	9	10	11	
Pied Butcher-bird	1	2	3	4	5	6	7	8	9	10	11	12
Australian Magpie	1	2	3	4	5	6	7	8	9	10	11	12
Pied Currawong	1	2	3	4	5	6	7	8	9	10	11	12
Australian Raven					5	6	7	8		10		
Torresian Crow	1	2	3	4	5	6	7	8	9	10	11	12
