forma?

"To encourage the observation and study of the birds of the Toowoomba area."


President: Ron Hopkinson, 50 Bass St., Toowoomba, 4350. Ph: 35 4953

Secretary/Treasurer: Ann Shore, "Shorelands", Withcott, 4344.

Ph: 30 3207.

Records Officer: Michael Atzeni, 2 Memory St., Toowoomha 4350. Ph: 35 1933.

Please address all correspondence to:
To Secretary, Toowoomba Bird Club,
"Shorelands", Withcott, 4344.



News - Sheet No.62-February 1981.

Owing to personal problems our President, Ron Hopkinson, regrets that he will be unable to take an active part in Club affairs for a while. We shall miss him greatly but it is good to know that his advice and knowledge of birds will be available if needed. In the meantime your other officers will be carrying on as usual with the assistance of Ron Colpus whom we welcome on the editorial side.

we would like to apologise to those members who received their last newssheet belatedly and to thank those who have already paid their subscriptions so promptly, thus giving us their much valued support. Please note
that the renewal slips are again included with this issue for other members
convenience.

In view of the above it would be helpful if the monthly checklists and bird notes could be sent direct to <u>Michael Atzeni</u> at 2 Memory St. and articles or any other contributions, however small, to Ron Colpus at 117 Alderley St.

Since the last News-Sheet went to press we learnt that John Gregor was moving to Brishame rather than Mackav and so, being nearer at hand, we hope
he will keep in touch and send us news of his bird-watching from time to
time. All good wishes to him and Shirley for the future.

Ann Shore.
Secretary/Treasurer.

Field Day Report -Cooby Dam, 25-1-81.

A visit to any large body of water such as Cooby Dam conjures up an air of anticipation of good birding ahead:— The small party who made the trip were not to be disappointed. Most obtained at least one "newie".

En route to the water's edge Blue— faced and Yellow-faced Honeyeaters were seen in the tree tops while Red-backed and Superb Fairy-wrens caught our admiring eyes as they worked their way through the lower storey. Chestnut-breasted Mannikins regularly put in an appearance, perching on vantage points above the long grass. However the highlights were on and around the dam. On scanning the water we located Musk Ducks, Great Crested Grebes, a very large avian fleet of mainly immature Hoary-headed Grebes. The question arose as to why they congregated in large groups but at this stage I have no satisfactory answer. Around the egde, Sharp-tailed Sandpipers, two Red-Necked Stints and one Red-capped Plover were identified after some consultation. Unfortunately, no White-bellied Sea-Eagle graced the scene

Field Dav Report-25-1-81 (cont'd.)

but even birdwatchers have to without sometimes. A successful morning to say the least and we look forward to visiting Coohy Dam again in the not so distant future. It would be interesting to see if the recent rains have any significant effect on the mumbers of hirds there.

Species List- Cooby Dam 25-1-81.

Great Crested Grebe. Hoary-Headed Grebe. Australian Grebe. Australian Pelican. Darter. Great Cormorant. Little black cormorant. Little Pied Little Egret. Glossy Ibis. Straw-necked Ibis. Royal Spoonbill. Black Swan. Pacific Black Duck. Grev Teal. Hardhead. Maned Duck. Musk Duck.

Wedge-tailed Eagle.

Eurasian Coot. Masked Lapwing. Red-kneed Dotterel. Red-Capped Plover. Black-Fronted ". Balck-winged Stilt. Latham's Snipe. Sharp-tailed Sandpiper. Red-necked Stint. Bar-shouldered Dove. Galah. Scaly-breasted Lorrikeet. Red browed Firetail. Pale-headed Rosella.

Laughing Kookahurra. Sacred Kingfisher. Dollarbird. Rufous Whistler. Grey-crowned Babbler.

Pheasent Coucal.

Clamorous Reed Warbler. Golden-headed Cisticola. Superb Fairy-Wren. Red-backed Fairy-Wren. Varied Sitella. Noisy Friarbird. Blue-faced Honereater. Noisy Miner. Yellow-faced Honeveater. Scarlet Silvereve. Double-barred Finch. Chestnut-hreasted Mannikin. Common Mynah. White-winged Chough. Australian Magpie-lark. Pied Butcherbird.

Members' Bird Notes.

Hoary-Headed Grebe. 10.1.81. Helidon Spa. MA.SB. Rufous Night Heron. 2.11.80. Gittings Rd.Withcott. AHS.LM. Peregrine Falcon. 22.1.81. Harlaxton Railway Bridge. GC. Comb-crested Jacana. 10.1.81 Hood's Lagoon. Red-necked Stint. 25.1.81. Cooby Dam. Curlew Sandpiper. 22.11.80. " AHS. MA.SB. Silver Gull. 16.1.81. Lake Annand. JEC. Wompoo Fruit-Dove. 29.12.80. Mary Cairneross Rd. MA.SA.LA. Glossy Black Cockatoo. 15.11.80. Echo Valley. MA.SB. Sulphur-Crested " . 15.1.81. Kearney St. (South.). SA. Pallid Cuckoo. 9.11.80. "Shorelands" Withcott. AHS. Channel-billed Cuckoo. 2.11.80. Gittings Rd. Withcott. AHS. White-winged Triller. " (Off Jones Rd). " AHS.LM. Tawny Grassbird. 16.1.81. Euston Rd. (Spring Ck.) MA. Red Wattlebird. 31.1.81. Ocean St. GC. New Holland Honeyeater. Girraween Nat. Park. SR.

AHS Ann Shore. SB. Shane Brady. LA. Laurie Atzeni. GC. Graham Corbin. JAS John Shore. MA. Michael JEC. Jim Corbin. LM. Lachlan McDonald. SA. Simon

Field Day for February .-

Date. 22nd. Feb. Postman's Ridge Helidon area.

Assembly Point. Pigott's Car Park. Time. 7-15 a.m. for departure 7-30 a.m.

TOOWOOMBA BIRD CLUB.

ANNUAL BIRD SUMMARY. 1980.

This is the Club's fifth annual summary and it covers the period lst. January to December 31st,1980. Monthly checklists submitted by membersduring the year are the source of the summary and a fundamental tool in the pooling of our knowledge of the species of birds in our area and their movements.

The Summary is a composite of the uprange and down--range blocks for which seperate records are kept by the Records Officer for the R.A.O.U. Atlas and for any need to compare the areas.
The boundaries of the local study area are defined in News-Sheets 24 & 45. At the end of 1980, the Club list stood at 215 species and 192 of these species were sighted during the period under review. No doubt, the drought during 1980 played a significant role in whether or not a number of the nomadic and migratory species showed up. The 23 species which were not seen are: Little Bittern, Black Bittern, Black Necked Stork, Australian Shoveller, Mallard, Grey Goshawk, Red Goshawk, Black Falcon, Red-chested Button-Quail, Buff-Banded Rail, Comb-crested Jacana, Latham's Snipe, Sharp tailed Sandpiper, Silver Gull, Sooty Tern, Rose Crowned Fruit dove, Red-tailed Black-Cockatoo, Oriental Cuckoo, Powerful Owl, Barking Owl, Spotted Quail, Thrush, Plum-headed Finch, White-breasted Woodswallow and Black-faced Woodswallow. 8 new species were added to the list under the conditions that two or more members reliably identified the species. Six of the species, viz. Red-kneed Dotterel, Turquoise Parrot, White's Thrush, Scarlet Robin, Brown Gerygone and the Fuscous Honeyeater were confirmed during 1980. The Mallard and Buff-Banded Rail were confirmed outside the Club's original area in past years at places that now lie within the Club's new bound--aries. They therefore were added to the list. 1981 has already seen two new species. Let us hope some of those "Seen but unconfirmed. "species change upon 2 or more of our members during the year. Among these are the Peregrine Falcon, Swamp Harrier, Squatter Pigeon, Buff-rumped Thornbill, Little Wattlebird, Brown-headed Honeyeater and Black-chinned Honeyeater. Finally, a word of thanks to those members who submit monthly checklists. I hope you continue the good work and I appeal to other members to put

Michael Atzeni.

RECORDS OFFICER.

Nomenclature: R.A.O.U"English names for Australian Birds", supplement to "Emu" Vol.77- May 1978. (Slater's Guides usage in brackets.)

Details next N/L of the two new species.

their sightings to a worthy cause by doing likewise.

Amendment to the above report.

I have failed to consider the Little Button-Quail added to the list on 16-12-80 bringing the Club list to 216 species at that stage. For this reason increase the number of species seen to 193 and the number of new species seen in this period to 7.

ANNUAL SUMMARY 1980.

			7.3			N.	-					
Species Name.	Ј.	F.	M.	Α.	M.	J.	J.	A .	S.	σ.	N'.	D.
Toarv-headed Grebe.			3	1	-	E I		0	0			30
Aust: Grebe(Little)	1000	2	3	4	5			8	8	3.0	11	12
Aust. Pelican.			3			140				10		
Darter.		2 2										
Gt.Cormorant (Black.)		2	3	4							7 71	
Pied Cormorant.	- 19-13			4			the same				11	7.0
Little B.Cormorant.				1.	-		7	0	•	100	111	12
Little P.Cormorant.	1	2 2 2	3	4	55	666	777	8 8 8	999	10		12
Pacific Heron(Wh.Necked.)	1	2	3	4	2	6	4	Q	9		11	
White-Faced Heron.	1	2	3	4	7	6	7	0	9	10		12
Cattle Egret.	1					0	1		9	TO	ii	
Great Egret (White)		0.44		4			De.		E		TT	
Intermediate Egret (Plumed)	-114			4						10	11	
Ruf. Night Heron (Nank)										TO	TT	
Little Bittern. N.S								103				
Black Bittern. N	S.											
	N.S.						7		0	10		10
Glossy Ibis. Strow necked	1'	2	3	4	5	6	77	8	9		11	12
Sacred Ihis (White) This	1	2	3	4	2	0	/	0	9			
Royal Spoonbill.	1	2	3	4		6		8	9	10		
Yellow-b Spoonbill.	1		3	4		O		0	7	-	11	
Plumed Whist. Duck (Grass.)					-				711.84		11	
Black Swan		2	3	4	5	6	7	8	9	10		
Pacific Black Duck.		2	3	-	2	0	1	0	7	10	11	12
Mallard. N.									9		11	12
Grey Teal.									7		TT	12
Australasian Shoveler.Blue-w					-				0		11	12
Hardhead (Wh.eyed Duck)	,		3	1.	5 5 5	4	7	Q	9	10		
Maned Duck. (Wood.)	1	2	3	44	김	6	7	8 8	9	10		
BlSh.Kite.	1	2	3	1 4	7	. 0	/	0	9	10		
Pacific Baza (Crest Hawk.)			3 - 115	4					7	10	TT	
Black Kite			,	4								
Squared-tailed Kite			3	4			200		100			
Whistling Kite		- V	3	4		6	-		9			
Brown Goshawk		2	3			O	7	8	7			
Collared Sparrowhawk Grev Goshawk N.S.		2	12.71				1	0				
Red Goshawk N.S.	1	2	3	4	5	6	7	8	9	10	111	112
Wedge-tailed Eagle	1	2	3	1	7	0	7	0	7	10	TT	+14
Little Eagle		No.			5		1		9			
Spotted Harrier				ALE A ISL	2				7			
Black Falcon N.S.	,	2	2			4			13.			
Aust. Hobby (Lit. Falcon)	1 1	2	3 3	4	-	6 6	7	Q	(4)		111	
Brown Falcon	li	2	3	4	5	6	7	8 8	9	10	11	12
Aust.Kestrel (Nankeen.)	1	2 2	3	4	7	O	1	0	9	10		12
Aust Brush Turkey	1	2		4					7	10		
Stubble Quail	1	1 2			-		7	8	9			
Brown Quail					5		1	0	7			
Red-Ch Button Quail N.S.										4	300	
Buff Banded Rail N.S.		-	1	1.	-		7	8	0	20	111	120
Dusky Moorhen	1	2	3	4	2		1	0	9	10		
Purple Swamphen				4	5 5 5				9	-	11	
Eurasian Coot)						11	12
Comb-cr. Jacana (Louus-hird)	N.S.			1,	-	,	-	0	1	10		120
Masked Lapwing (Plover) Banded Lapwing (Plover)	1 1	2 2	3	4	5 5	6	7	8 8	9	10 10		12

ANNUAL SUMMARY 1980

Species Name.		e de la companya de l											
Red-kneed Dotterel				1	1	1	1	1	1	1	1	112	1
Bl.Fr.Plover (Dott.)		1	1	0.11							111	12	
Bl.Winged Stilt.							1				11		
Latham's Snipe (Jap) NS	1										111	15	I
Silver Gull. NS		1						100	+				ı
Sooty Tern. NS		1					1	1					I
Rose-Cr.Fr.Dove. NS									1				ı
Topknot Pigeon			1								122		۱
White-headed Pigeon.	1			1	1	1		0	10		11		ı
Feral Pigeon (Domestic)	1	2	2	4	5	16	17	8	9	130	11		I
Spotted Turtle-Dove	1	2 2	3	4	55555	6	7	8	9	10	11		ı
Br.Cuckoo-Dove (Pigeon)	1	1)	-	15	10	2	0	9	10	11		I
Peaceful Dove	1	12		4	15		1		9	10	11		ı
Bar-Shouldered Dove	li	2	3	4	15	6	7	8	9	10	11		ı
Emerald Dove (GrW. Pigeon	li	10)	-	1	0	7	0	9	10	11		ı
Common Bronzewing	+						1		9		11		ı
Crested Pigeon	1	2	2	4	5	6	7	0	9	120	1,,	1,0	l
Wonga Pigeon.	li	2	3	-	2	0	/	8	9	10	11		ı
Red-tailed Black Coackatoo. No		16)					0	19		TT	12	ı
Glossy Black Cockatoo	1								1 6		1		ı
Galah.	1	2	3	4	5	6	7	0	0	120	11	1,0	١
Sulphur Credted Cockatoo.	1	")	1)	0	/	8	9		11		ı
Rainbow Lorrikeet.	13	12	3	1.	_	4	7	0		10	19		١
Scaly-breasted Lorikeet	$\begin{vmatrix} 1 \\ 1 \end{vmatrix}$	2	3	44	12	2	4	0	9	10	11	15	
Musk Lorikeet	1	12	3	7	12	2	777	0	2	10	11	12	
Little Lorikeet	1	2	3	4	555555555	6666	7	88888888	9999	120	1	1,0	
Australian King Parrot.	1	2	3 3 3	+ 4	2	6	7	0	9	10	11	12	
Cockatiel	i	2	3	4	2	6	7	00	9	10	11	12	Ì
Crimson Rosella.	1	2	3	4	2	0	7	3	9	10	11	12	
Eastern Rosella	1			- 3	2			0			11		
Pale Headed Rosella	1	2	3	4	2	4	7	0	0	120		1,0	
Red-rumped Parrot.	li	2	3	4	2	6	7	8	9	10	11	12	
Turquoise Parrot	1	2	3	4	7	О	1	0	9	10	11	12	
Oriental Cuckoo. NS				*									
Pallid Cuckoo.										120			
Brush Cuckoo			2							10	11	12	
Fan-tailed Cuckoo			3		_				•	1,0		1.0	
Horsefield's Bronze Cuckoo			3		5				9	10	11	12	
Shining Bronze-Cuckoo		2								10	11		
Common Koel	7	2	3					10		3.0	L.		
Channel-billed Cuckoo.	1	2	3						9	10		12	
Pheasant Coucal	1	2	3			6		8	0	10	11	12	
	1	2	3	2		0		9	9	10	11	12	
	,	1			-		12	0					
Southern Boobook (Owl)	1	2		7	5		7	8	9	10	11		
Barking Owl. NS Barn Owl				١.		- 1			_				
		2	2	4	-	/		0	9				
Tawny Frogmouth.	1	2	3	4 4	5	6	7	8	9	10	11	12	
Australian Owlet-nightjar			3	4	-				34				
White-throated nightjar NS		0	_						- 11				
Whthro.Needletail(Sp.t.Swif	111	2	3							10	11	12	
Fork-tailed Swift	1	_		1.									
Azure Kingfisher	1	2 2	2	4	-	,	(7)	0	9		11		
Laughing Kookaburra	1	2	3	4	5	6	7	Ø	9 9 9	10	11	12	
Sacred Kingfisher	1	2	3 3	1.)			8888	9	10	11	12	
Rainbow Bee-eater	1	2	3	4				O	9		11	12	
Dollarhird	1	2	3	4		1		O	9 1	10	111	12	

ANNUAL SUMMARY 1980

M	0	N	T	Н
1.1	U	14		11

Species Name.		J	F	M	A	М	J	J	A	S	co	N	D
Noisy Pitta				T		1		T	1	T	T	111	TT
Singing Bushlark			2	13		15	6	7		1 0		III	
White-Backed Swallow		1	52555	333	4	555			8	19	10	11	12
Welcome Swallow		1	2	3	4	15	6	17	8 8 8	9	10	11	12
Tree Martin		1	2						8		10	11	
Fairy Martin		1	2	333	4	15		7		19		11	12
Richard's Pipit		1	2	3	4	5555	6	777	18	999	10	11	
Black-Faced Cuckoo-Shrike	4	1	2	13	4	15	6	17	8 8 8	9	10	11	12
White-Bellied Cuckoo-Shrike						15			8				
Yellow-Eved Cuckoo-Shrike		1	2 2					1				11	12
Cicadabird	A		2	3						1	1	11	12
Ground Cuckoo-Shrike	18			1		-	6	7		1	1		
White-Win ed Triller				1						9	10	11	12
Varied Triller			2	3		5	6		8	9	10	11	
White's Thrush				1						1		111	
Rose Robin				1	4	5	6	7	8	9			
Scarlet Robin					4	1				1			
Red-Capped Robin.			1			5	6	17	18				
Eastern Yellow Robin		1	2	3	4	5	6	7	8	9	10	111	12
Jacky Winter			2711	1	14	15	16	17	8	1	10	1	1-
Crested Shrike-tit			12			1			18				
G61denr Whistler			12	13	14	5	6	7	8.	9	10	11	
Rufous Whistler		1	12	13	14	5 5 5	16	777	18	9	10	11	
Grey Shrike-Thrush		lī	12	3	141.	45	6	12	8	19	10	11	12
Black-faced Monarch		lī	12	13		1	ľ	1	1	1	10	11	12
Spectacled Monarch			222222	333333	4					9	10	11	15
Laeden Flycatcher		1	12	13		1				9	10	11	12
Satin Flycatcher		lī	1	1						1	10	11	12
Restless Flycatcher					4	5	6	7		9	1.0	11	
Rufous Fantail		11	12	3	4	55555		1	18	9	10	11	12
Grey Fantail		1	2222	333	4	15	6	12	8 8	9	10	11	12
Willie Wagtail		lī	2	13	4	15	6	777	18	9	10	11	12
Eastern Whipbird		1	15	3	4	5	16	12	8	9			12
Spotted Quail-Thrush	NS		-		1	1	١	1'	"	1	10	7.7	12
Grey-Crowned Babbler	.,,					5	6	7		9		11	12
Clamorous Reed Warbler						1		1		1			12
Tawny Grassbird		1				5						11	15
Golden-Headed Cisticola		1	2	3	4	5	6	7	1			11	12
Rufous Songlark		1	-)		1	"	1		0	10	11	15
Brown Songlark							100			7		14	12
Superb Fairy-Wren		1	2	2	4	=	6	7	8			11	12
Variegated Fairy-Wren		1	2 2 2	3	4	5	6	1	8	7	10	7 T	12
Red-BackedFairy Wren		1	2	3	7)	0		0	0	10	11	12
Large-Billed Scrubwren		1	2	2	4	5	6		8	2	10	11	
White-Browed Scrubwren		1	2	2	4	5555	6	7	8	2	10	11	, ,
Speckled Warbler		1	2	3	7	2	16	7	00	2	10	11	12
Weebill		1	2	2		2	6	1	8	7	10		7.0
Brown Gerygone		1	2	3		7	ΨΟ	7	8		, ,	, ,	12
White-Throated Gerygone		1	2	2), 1	=		7	8	2	10	11	
Brown Thornbill		1	2 2	3	4	5	6	7	8	2	10	11	12
JI OWN THOUGHT		11	2)	1)	0	/	8	9	10	TT	12

ANNUAL SUMMARY 1980.

MONTH.

Species name. Yellow-rumped Thornbill Yellow Thornbill		J	2	M 3	A 4	J555555	J	J 17/	A 8	9	10	111	12
Striated Thornbill.		1	2	12	4	12	66	7	10	0	10	11	
Varied Sitella		1	12	3000	4	15	16	1	8 8	999	10	11	12
White-throated Treecreeper		li	2 2	13	4	15	666	7	la a	18	10	11	
Red Wattlebird		1		13	14	15	16	17	10	7	ho		
Spiny-cheeked Honeyeater				1	1	1	16	1	1	1	۳	111	1
Striped Honeyeater			12		4	5	1	7	8	19	ho	111	1
Noisy Friarbird		1	12	13	14	15	6	7	8	lá	10	11	12
Little Friarbird		lī	2	13	14	1	6	1	8	á	io	ii	12
Blue-faced Honeveater		1	2	13	4	15	6	7	18	19	ho	lii	12
Noisy Miner		1	2	13	14	15	6	7	8	19	60	11	12
Lewin's Honeyeater		1	222222	nanana nanana	14	55555	6	7777	8888888	999999	10	ii	12
Yellow-Faced Honeveater		1	2	3	4	15	16	17	8	9	10	11	
Fuscous Honeveater		1				15	6	17	18	1	Г		
White-Throated Honeyeater				-	1		1		18	9		1	1
White-Naped Honeveater		1	2 2			15	64	77	8 8 8	9	ho	11	
Brown Honeveater		1	2	13	4	555555555555	6	17	8	999999	10	11	12
Eastern Spinebill				3	4	15	6	17	888	9	ho	111	
Scarlet Honeyeater				3		15	6	7	8	19	DO	11	12
Mistletoebird		1	2 2	3	4	15	6	1	8	9	10	11	
Spotted Pardalote		1	12	namanamanana namanamanananananananananan	14	15	6	777777	8888888	9999999	ho		12
Striated Pardalote		1	2	3	4	15	6	7	8	9	10	11	12
Silvereye		1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	3	4	15	6	17	8	9	10	11	12
House Sparrow Red-Browed Firetail		1	15	13	4	12	6	17	8	9	10	11	12
Zebra Finch		1	12	3	4	12	6	17	18	19	10	11	12
Double-Barred Finch		1,	12	3	4	12	6	17	8	19	10	11	1
Plum-Headed Finch	NO	1	12	3	14	12	0	7	8	9	10	11	12
Chestnut-Breasted Mannikin	NS	1		1					10		1	L	
Common Starling		1	2	3	1.	1	12	0	8	1	La	11	
Common Mynam		li.	2222	30000	4 4	555	6666	7777	8	12	10 10 10 10	11	12
Olive-Backed Oriole		1	5	3	4	12	12	14	8 8	13	HO	11	12
Fighird		1	5	3	4	1	12	14	0	13	TO	11	12
Spangled Drongo		li	5)		1	0	1	l°	7	HO	11	12 12
Satin Bowerbird		-	1-			5			8		10	TT	15
Regent Bowerbird		1	2		4	15			8	9	10	11	
White-Winged Chough		1	-			1			10	7	11	ii	12
Australian Magpie-Lark		11	2	3	4	5	6	7	8	9	ho	ti	12
White-hreatsed Woodswallow	NS	1				1	ľ		1	1	۳	1	12
Masked Woodswallow			t			1				9		1	
White-browed Woodswallow			1			1				9			
Black-faced Woodswallow	NS	1				100				1		1	
Dusky Woodswallow	15 () = 8		2		100	1			8			11	
Grey Butcherbird		1	2222	3	4	15	6	7	88888	9	ho	hi	12
Pied Butcherbird		1	2	3	4	15	6666	77	8	9999	10	ti	12
Australian Magpie		1	2	3	4	15	6	7	8	9	ho	11	12
Pied Currawong		1	2	3_	4	15		77	38	9	io	ii	12
Australian Raven		1			4	555555	6	7	8	9			
Torresian Crow		11	2	2	1).	IE	16	7	R	ó	ho	4 7	12