

TOOWOOMBA BIRD OBSERVERS

NEWSLETTER

TO ENCOURAGE THE OBSERVATION AND STUDY OF THE BIRDS OF THE TOOWOOMBA AREA

March 2023 EDITION 488

BIRD OF THE MONTH



Striped Honeyeater

Oakey QLD 2023

OUTINGS & EVENTS 2023

Wednesday	Williams Park - Highfields
April 12th	Tony & Jennie Bond Ph: 0412 638 406
Saturday	Highfields Fall
April 29th	Ann Alcock 0418 159 760

PLEASE CONTACT THE LEADER IF YOU WISH TO ATTEND

The Toowoomba Bird Observers Newsletter is published monthly.

The deadline for the next Newsletter is 26th April 2023

Charles powerart@bigpond.net.au

2023 CHALLENGE

125 species

Please submit your sightings for 2023

IN THIS ISSUE

Outings & Events Details	P1-2
Club Reports	P2-7
Notices & Articles of Interest	P8-9
Bird of the Month	P10
2022 Annual Report	P11-15



Website: www.tboc.org.au

Postal address:

P.O. Box 4730

Toowoomba East QLD Australia 4350

Email: tboc4350@gmail.com

Phone: 0499 395 485

Management Committee:

President Mick Atzeni
Vice-president Sandy Robertson
Secretary Peter Everest
Treasurer Ann Alcock
Media officer Ann Alcock
Editor Charles Dove

Outings Coordinator

Records Officer Pat McConnell
Facebook Admin Sandy Robertson

Mick Atzeni Ann Alcock

UPCOMING OUTINGS

MIDWEEK WALK

Williams Park - Powerful Owls recently sighted

Date: Wednesday 12th April

Leader: Tony and Jennie Bond

Meet location: Cecil Cres., Highfields (click on the link) https://goo.gl/maps/yoPSzdTBX1MwECqN6

Time: 8:00am.

Approx 4km - Please bring morning tea

RSVP: To Tony & Jennie Ph: 0412 638 406 or tboc4350@gmail.com

Outing details: slight downhill and slight uphill grades

Morning Tea: Our house is very close to one end of Williams Park so everyone is invited to come back for

morning tea afterwards.

In the event of inclement weather contact the leader Closed footwear required.

WEEKEND WALKS

Highfields Falls

Date: Saturday 29 April 2023

Leader: Ann Alcock

Meet location: Dau Road Highfields (click on the link) https://goo.gl/maps/ylnEb81S7CYwLUi39

Time: 7.45 am

Approx 3-4km - Please bring morning tea

RSVP: Ann Alcock Ph 0418159760 or tboc4350@gmail.com

Outing details: medium downhill & medium uphill grades

Morning Tea: There are no toilets at Highfields Falls so we will go to Peacehaven Park for morning tea.

In the event of inclement weather contact the leader Closed footwear required.

CLUB REPORTS

MIDWEEK WALK

Wednesday 8th March 2023

Thiess Park -

Tony Bond

Following several very warm days with high humidity, the day dawned cooler with grey and overcast skies and a possible shower in the forecast. We did receive a few spots of rain in Highfields but there was nothing at Thiess Park when we arrived. That changed just as we were about to leave the cover of the picnic shelter where eight TBO spotters had gathered to sign in and catch up on the gossip before our latest midweek walk. Luckily the bigger drops only lasted a few minutes and didn't delay us at all.

Thiess Park is relatively small reserve named after a local business family and has been recently upgraded (beautified?) by TRC with the addition of a childrens' playground, picnic shelter and toilets. Of more interest to us though were the clumps of trees that have been planted in the creek corridor that bisects the area.



Australasian Figbirds



Sacred Kingfisher

Images Courtesy Tony Bond

All the "normal" urban birds were seen at the start such as Common Mynah and Noisy Miner, not to mention numerous Rainbow Lorikeets. Yellow-tailed Black Cockatoos were heard. We first headed to the corner by the railway crossing, overlooking private land, where we added Spotted Doves to the list plus more Mynas. After leaving that corner and starting to follow the creek line we added Figbirds, Satin Bowerbirds, Fairywrens and a Sacred Kingfisher who hopped ahead of us on the power line as we moved along.

Despite the greyness of the day, 27 species were logged and we finished the session with morning tea at TRC's new picnic table.

Jennie handled the logging and Charles led us as usual. Thanks to both.

The next walk is planned for Williams Park in Highfields on Weds 12th April so mark the date, but check the newsletter for confirmation.

Theiss Park Bird List		27 species								
Spotted Dove	Rainbow Lorikeet	Noisy Miner	Pied Butcherbird							
Crested Pigeon	Pale-headed Rosella	Red Wattlebird	Australian Magpie							
Cattle Egret Red-rumped Parrot		Blue-faced Honeyeater	Pied Currawong							
Masked Lapwing	Laughing Kookaburra	Noisy Friarbird	Torresian Crow							
Yellow-tailed Black-Cockatoo	Sacred Kingfisher	Black-faced Cuckoo-shrike	Magpie-lark							
Galah	Satin Bowerbird	Australasian Figbird	Common Myna							
Little Corella Superb Fairy-wren		Grey Butcherbird								

A few more images from Tony Bond at Theiss



WEEKEND WALK

Saturday 18th March 2023

Bowenville/Jondaryan -

by Charles Dove

The walk at Bowenville Reserve proved to be a great place even as the forecast heat held off for a while, with 12 observers attending, including a couple of upcoming members seeking to join TBOC.

As we prepared to start our walk, we managed a few sightings to start off the list, including Weebills, Pale-headed Rosellas, Corellas and a few others. The park was very tranquil and relaxing even with the many campers who have occupied the grounds and did not take much notice of us walking around with our Binocs and Cameras.

As we continued around, we spotted the odd bird and it was starting to be a bit too quiet; until we reached the Oakey Creek, when excitement started amongst the group as we came to a couple of trees that had what you might call a feeding party with a variety all trying to feed together. Weebills, Red-rumped Parrots, Leaden Flycatcher, Little Friarbird, Striated Pardalote and a few others.

As we continued along the Oakey creek we came across an unfortunate sight of a double Barred Finch caught up in a Spider Web: see insert

Almost a Sticky End

By Ann Alcock

On a recent outing to Bowenville Reserve, our group was saddened to see a Double-barred Finch desperately trying to free itself from the sticky strands of a strongly built spider web. This was made worse by the helplessness we felt because it was on the other side of a very full Oakey Creek. Saddened by having to leave the small bird to a potentially awful fate, we continued birding.

A little further along we came across a fisherman in a boat and encouraged him to mount a rescue operation. Fortunately, it was successful and he was able to reach the bird, remove the sticky cobwebs and release it.



A very exciting sight of the Western Gerygone did keep many members busy trying to grab a picture or just to have a good sight of it, not a species that you see in these areas very often, so excellent record for the day. We decided it was time for morning tea and set up the shade of a few trees.

After morning tea, we headed off to Jondaryan feedlot via Bowenville Norwin Rd, Wainui hoping to see some of the Grassbirds and Songlarks that I had seen there recently a couple of weeks back, but not to be unfortunately and most likely have set out on their migratory pathways. Parking roadside on arrival outside of "Kerwee Feedlot" main entrance on Darr Rd., Jondaryan.

A few regular bird sightings but not in great numbers, as you would expect to see along the road and near the dam, with the Torresian Crow, Noisy Miner, Striped Honeyeaters and Rufous Whistler being some of the more dominant species we sighted.

The day now starting to heat up weather wise we headed into Jondaryan Park in Duke Street for Lunch. After lunch a few departed for home and a few of us went to Jondaryan Sabine Rd hoping to see any Painted Honeyeaters that still might be around before they migrate out, unfortunately no sight of any but we still managed a few sightings again, of only a few regulars; Striped and Spiny-cheeked Honeyeaters, Torresian Crows, Brown Honeyeaters and Peaceful Doves.

We departed for home towards Oakey with the chance to see the pair of Blue Bonnets that are being seen regularly but not today with Two Black-shouldered Kites hawking around.

In all it was a great day out and I hope the day proved enjoyable to those that came out for the day.



Striped Honeyeater



Brown Honeyeater

Bowenville Reserve		35 species	
Crested Pigeon	Little Corella	Yellow-rumped Thornbill	Australian Magpie
Australasian Darter	Sulphur-crested Cockatoo	Striated Pardalote	Willie Wagtail
Little Pied Cormorant	Red-rumped Parrot	Brown Honeyeater	Torresian Crow
White-faced Heron	Laughing Kookaburra	Little Friarbird	Leaden Flycatcher
Straw-necked Ibis	Sacred Kingfisher	Striped Honeyeater	Magpie-lark
Black Kite	Superb Fairy-wren	Black-faced Cuckoo-shrike	Common Myna
Brown Goshawk	Weebill	Golden Whistler	Double-barred Finch
Nankeen Kestrel	Western Gerygone	Rufous Whistler	Plum-headed Finch
Dusky Moorhen	White-throated Gerygone	Pied Butcherbird	

Keewee Feed Lot		13 species								
Grey Teal	Striated Pardalote	Rufous Whistler	Torresian Crow							
Australasian Grebe Spiny-cheeked Honeyeater		Olive-backed Oriole	Magpie-lark							
Pale-headed Rosella	headed Rosella Brown Honeyeater		Mistletoebird							
Weebill	Striped Honeyeater	Willie Wagtail								
Yellow Thornbill Golden Whistler		Australian Raven								

Jondaryan Sabine Rd		10 Species								
Peaceful Dove	Spiny-cheeked Honeyeater	Australian Magpie	Apostlebird							
Black-shouldered Kite	Brown Honeyeater	Willie wagtail								
Noisy Miner	sy Miner Striped Honeyeater									

WEEKEND WALK 2

Saturday 25th March 2023

Cooby Dam Outing Report

by Regan scheuber

On 25 March, 15 Toowoomba Bird Observers gathered at the boat ramp of Cooby Dam to see what one of our finest local wetlands had to offer. Over the past month, Cooby had been warming to the occasion with a large influx of waterfowl, transforming a previously pretty barren Loveday Cove. Black Swans, Australasian Grebes, Hardheads and a horde of Coots were chief amongst the new arrivals. The water level remained high (about 95%) but had receded enough to allow some muddy shores and extensive shallow areas. These conditions had proved conducive to a string of Latham's Snipe and Spotless Crake sightings (many more "hearings" in the latter's case) over summer.

As we met, a bothersome fog was lifting just in time, giving way to mostly clear skies. It was another muggy morning in a prolonged tail-end of summer, but in between the fog and the mid-morning mercury surge, it was briefly a picture-perfect Cooby morning.

To kick off the birding, we strolled through the open lakeside woodland west of Loveday Cove around an inlet of the dam. Here many Superb Fairy-wrens frolicked on the ground, while the occasional Tawny Grassbird zit-zitted away to safety. An Azure Kingfisher that had been calling this inlet home recently failed to show, but as we reached our turning-around point, we tried playing some Spotless Crake calls near a known location in the reed bed below. A few burbling calls came back and a couple of members even managed a brief glimpse of the notoriously secretive skulker.

Upon returning to the boat ramp area, we strolled along the shoreline near the sailing club. Good numbers of Swans and Coots, Grebes and Moorhens were lazing around near the shore, but the highlight was a Latham's Snipe which suddenly burst into the air and came down on the shoreline to the east, allowing everyone a good view of this wader on the eve of its long-haul flight to Japan.



A well-earned morning tea followed.

From here, some preferred to stay in the cove, while at least half of us set off on a long walk (on an increasingly hot morning) to an area of shallows almost 2 km from Loveday Cove. On the way, we tried to lure out a Little Grassbird at a known spot with call playback, yielding much the same results as the crake. Cooby likes to make you work for its treasures!

When we finally reached the shallows, our efforts were to be rewarded with views of a family of Jacanas which had only arrived in the past month – 1 adult and 2 young ones. Amongst good waterbird numbers, a couple of Red-kneed Dotterels also patrolled the opposite shore. It was about 11 AM when we wrapped up back at Loveday. Throughout the morning, we had been pleased to welcome a young couple on their first outing, and they more than earned their keep by spotting an extremely cryptic branch-imitating Tawny Frogmouth in the picnic area. One lucky member also scored some snaps of a lone Glossy Ibis.









Images courtesy Charles Dove

Tawny Frogmouth

Bird List by by Regan scheuber

Cooby Dam 25th Mare	ch 2023	Species 65	
Brown Quail	White-faced Heron	Musk Lorikeet	Black-faced Cuckoo-shrike
Black Swan	Australian White Ibis	Pale-headed Rosella	Rufous Whistler
Australian Wood Duck	Whistling Kite	Rainbow Bee-eater	Grey Butcherbird
Grey Teal	Black Kite	Superb Fairy-wren	Pied Butcherbird
Pacific Black Duck	Australian Swamphen	Red-backed Fairy-wren	Australian Magpie
Hardhead	Spotless Crake	White-browed Scrubwren	Pied Currawong
Australasian Grebe	Dusky Moorhen	Speckled Warbler	Spangled Drongo
Great Crested Grebe	Eurasian Coot	Weebill	Willie Wagtail
Spotted Dove	Pied Stilt	White-throated Gerygone	Torresian Crow
Crested Pigeon	Black-fronted Dotterel	Striated Pardalote	Magpie-lark
Bar-shouldered Dove	Red-kneed Dotterel	Yellow-faced Honeyeater	Golden-headed Cisticola
Tawny Frogmouth	Masked Lapwing	Noisy Miner	Australian Reed-warbler
Australasian Darter	Comb-crested Jacana	Noisy Friarbird	Tawny Grassbird
Little Pied Cormorant	Latham's Snipe	Striped Honeyeater	Little Grassbird
Little Black Cormorant	Cockatiel	Eastern Whipbird	Double-barred Finch
Intermediate Egret	Rainbow Lorikeet	Varied Sittella	Red-browed Finch

Late Additions by Chris Cameron

Glossy Black Ibis

Eastern Brown Snake





Glossy Ibis Great Crested Grebe



Eastern Brown Snake Images courtesy of Chris Cameron

Links

More than 100 ducks found dead at swamp in Victoria, wildlife rescuers say

Concerned locals raise the alarm after noticing dead ducks in a nature conservation reserve in Central Victoria. Initial test results show no signs of human involvement in the deaths. Read the full story

Shared from ABC app

Mysterious duck deaths in Western NSW town

Local Land Services rule out avian influenza as the cause of a number of mysterious duck deaths in a town in Western New South Wales. Read the full story

Shared from ABC app

Researchers classify new 'plasticosis' disease caused by the ingestion of plastic by seabirds

A team of scientists in Australia and the UK discover a previously unknown disease attributed to plastic consumption by Lord Howe Island seabirds, which is creating extensive scar tissue in their stomachs. Read the full story Shared from ABC app

The penguin population here was devastated by dog attacks, so the community stepped up

After years of dog attacks, the little penguin colony at Low Head on Tasmania's northern coast is rebuilding — and it is in part thanks to a community project. Read the full story

Shared from ABC app

Altered wing phenotypes of captive-bred migratory birds lower post-release fitness - Stojanovic - Ecology Letters - Wiley Online Library

https://onlinelibrary.wiley.com/doi/full/10.1111/ele.14200

Wild superb fairy-wrens will risk their safety for their close social circle but not unknown wrens, study finds - ABC News https://www.abc.net.au/news/2023-03-10/act-superb-fairy-wrens-picky-about-who-they-help-study-finds/102075784

Budgie boom in outback Central Australia as rain creates perfect breeding conditions https://apple.news/A32idRshSRIK7-khET3s0xA

NOTICES & ARTICLES of INTEREST



A part of birding's biggest team! <u>Clobal Big Day</u> is an annual celebration of the birds around you. No matter where you are, join us virtually on 13 May, help celebrate <u>World Migratory</u> <u>Bird Day</u>, and share the birds you find with eBird.

They're back..

The Powerful Owls that is.

We live near one end of Williams Park in Highfields and, having heard recently that Powerful Owls have been seen there again this year, we headed down at the earliest opportunity.

We know the locations where they are normally seen but could not find them there. Instead we walked the entire length of the park from Reis Road to Clarke Road, both sides of the creek, again without success. They had however been tempting us with their calling overnight.

A couple of afternoons later we decided to look again and this time encountered other TBO members scouring the area without success. With directions being relayed in real time via the phone while slowly increasing the search area we finally spied them - watching us from the other side of the creek.

The male was on a horizontal branch and was either in full shade or full sun with various degrees in between because of the low angle of the light and the light breeze. Once seen though he was easy to find again. The female was more difficult, being sheltered behind some foliage and off to the side.

By Tony Bond



Image courtesy Tony Bond



The announcement of a few endangered species has not come as a surprise, with many of our species struggling to survive in the ever-changing environment they live in.

Latest to be announced include:

Diamond Firetail, Major Mitchell Cockatoo and the Gang gang Cockatoo

STRIPED HONEYEATER

Scientific Name: Plectorhyncha lanceolata

Atlas Number: 585

image by Charles dove
Text courtesy https://www.birdsinbackyards.net/

Description:

The medium-sized Striped Honeyeater is grey-brown above, with a grey-white head and upper neck boldly striped black, and has whitish underparts with faint streaks on the belly and undertail. The feathers of the upper breast and throat are long and pointed, giving the head a shaggy appearance. Females are browner on the back than males, with more greyish underparts, while young birds are duller and less streaked overall. The bill and legs are blue-grey and the eye is dark.



Similar species:

The Striped Honeyeater is much smaller than the similarly shaped wattlebirds and has much whiter, less streaked underparts.

Distribution:

The Striped Honeyeater is found in eastern Australia, mainly inland, from the Yorke Peninsula, South Australia to the coast of New South Wales, around Toukley, and north to Charters Towers, Queensland.

Habitat:

The Striped Honeyeater is found in forests and woodlands, often along rivers, as well as mangroves and in urban gardens.

Seasonal movements:

Sedentary

May be nomadic in drier areas.

Feeding:

The Striped Honeyeater feeds mainly on insects and spiders, but will also eat nectar and other plant sugars, along with seeds, berries and fruit. It is mainly arboreal, feeding in pairs or small flocks in dense foliage, at the lower levels of the canopy.

Breeding:

The Striped Honeyeater defends a breeding territory, becoming quite vigorous and aggressive during the breeding season (it is normally much less conspicuous than many other honeyeaters). Both sexes care for the young and communal breeding has been recorded for this species. The nest is a suspended cup made from grass and fibres, including emu feathers, which is lined with grass and placed at about 1 m - 6 m from the ground.

Toowoomba Bird Observers Annual Summary 2022

Two hundred and four species were recorded within the Club area in 2022. This is 20 species fewer than in 2021. Although this is a very low number of species recorded there were still some very interesting species seen throughout the year. Interesting local species recorded included King Quail, Wompoo Fruit-Dove, Superb Fruit-Dove, Little Bronze-Cuckoo, Red-backed Button-Quail, Black-breasted Button-Quail, Powerful Owl, Eastern Osprey, Square-tailed Kite, White-bellied Sea-Eagle, Glossy Black-Cockatoo, Bluebonnet, Red-winged Parrot, White-winged Fairy-wren, Spiny-cheeked Honeyeater, Spotted Quail-thrush, Little Shrike-thrush and Satin Flycatcher. Of the above species King Quail, Wompoo Fruit-Dove, Superb Fruit-Dove, Red-backed Button-Quail (recorded twice), Osprey and Little Shrike-thrush are rarely recorded within the Club's boundaries. Powerful Owls were recorded in seven months, but there was no evidence of breeding at Highfields Falls or Williams Park. Square-tailed Kites were recorded in seven months and reports seem to be increasing locally.

As Records Officer I would like to thank all the members who contributed records throughout the year. Your records are greatly appreciated.

If members would like to contribute sightings to the Annual Summary for 2023 please send your records directly to me. Just send me the name of the species seen, the month in which it was seen and make sure the species is seen within the Club boundaries.

Pat McConnell

Records Officer

Species	J	F	M	Α	M	J	J	Α	S	0	N	D
Australian Brush-turkey	1	2	3	4	5	6	7	8	9	10	11	12
Brown Quail	1	2	3	4	5	6	7	8	9	10	11	12
King Quail	1											
Plumed Whistling-Duck	1	2	3	4	5	6	7	8	9	10	11	12
Pink-eared Duck										10		
Black Swan				4	5				9	10	11	12
Australian Wood Duck	1	2	3	4	5	6	7	8	9	10	11	12
Hardhead	1	2	3	4	5	6	7	8	9	10	11	12
Australasian Shoveler										10		
Pacific Black Duck	1	2	3	4	5	6	7	8	9	10	11	12
Grey Teal	1		3		5	6				10		
Australasian Grebe	1	2	3	4	5	6	7	8	9	10	11	12
Rock Dove	1	2	3	4	5	6	7	8	9	10	11	12
White-headed Pigeon		2	3	4	5	6	7	8	9			
Spotted Dove	1	2	3	4	5	6	7	8	9	10	11	12
Brown Cuckoo-Dove	1	2	3	4	5		7	8	9	10	11	12
Wonga Pigeon	1			4	5	6	7	8	9	10	11	12
Common Bronzewing	1	2	3	4	5	6	7	8	9	10	11	12
Crested Pigeon	1	2	3	4	5	6	7	8	9	10	11	12
Peaceful Dove	1	2	3	4	5	6	7	8	9	10	11	12
Bar-shouldered Dove	1	2	3	4	5	6	7	8	9	10	11	12
Wompoo Fruit-Dove								8				
Superb Fruit-Dove				4								
Rose-crowned Fruit-Dove								8				
Tawny Frogmouth	1	2	3	4	5	6	7	8	9	10	11	12
White-throated Nightjar				4			7			10		
Australian Owlet-nightjar										10		
White-throated Needletail	1	2									11	

Toowoomba Bird Observers		1	1	1	1	T	T	1	1		ch 20	
Pheasant Coucal	1	2	3	4	5	6		8	9	10	11	12
Eastern Koel	1	2	3	4					9	10	11	12
Channel-billed Cuckoo	1	2	3						9	10	11	12
Horsfield's Bronze-Cuckoo	1				5	6		8	9	10	11	
Shining Bronze-Cuckoo		2		4	5		7	8	9	10		12
Little Bronze-Cuckoo			3							10	11	
Fan-tailed Cuckoo		2	3	4	5				9	10		12
Brush Cuckoo	1	2	3	4		6		8		10	11	12
Pallid Cuckoo									9	10		12
Buff-banded Rail			3				7	8				
Purple Swamphen	1	2	3	4	5	6	7	8	9	10	11	12
Dusky Moorhen	1	2	3	4	5	6	7	8	9	10	11	12
Eurasian Coot	1	2	3	4	5	6	7	8	9	10	11	12
Yellow-billed Spoonbill					5	6				İ	İ	
Royal Spoonbill	1				5		7			10	İ	12
Straw-necked Ibis	1	2	3	4	5	6	7	8	9	10	11	12
Australian White Ibis	1	2	3	4	5	6	7	8	9	10	11	12
Nankeen Night-Heron				4								
Eastern Cattle Egret	1	2	3	4	5	6	7	8	9	10	11	12
White-necked Heron				4	5	6		8	9	10		
Great Egret	1	2	3	4	5	6	7	8	9	10	11	<u> </u>
White-faced Heron	1	2	3	4	5	6	7	8	9	10	11	12
Little Egret								8	9	10		1
Australian Pelican	1		3	4	5	6		8	9	10		+
Little Pied Cormorant	1	2	3	4	5	6	7	8	9	10	11	12
Great Cormorant			_		5	6	-	8	9			
Little Black Cormorant	1			4	5	6	7		9	10	11	12
Australasian Darter	1	2		4	5	6	7	8	9	10	11	<u>├</u>
Pied Stilt	1	_		† •			•		_	10		+
Black-fronted Dotterel	1									10		+
Masked Lapwing	1	2	3	4	5	6	7	8	9	10	11	12
Red-backed Button-quail		2	3	•			'			10		
Black-breasted Button-quail	1	2										1
Painted Button-quail	1	_		4	5	6	7	8	9		11	12
Eastern Barn Owl	- '	2	3	<u> </u>			'	8	9			12
Powerful Owl	1		3	4	5		7	8	5	10		12
Southern Boobook	1	2	3	4	5	6	7	8	9	10	11	12
Osprey			5		0	6	'	0	3	10		12
Black-shouldered Kite	1	2		4	5	6	7	8	9	10	11	12
Square-tailed Kite	1		3	4	5	6	7	0	9	10	11	12
Pacific Baza	1	2	3	4	5		'		9	10	11	12
Wedge-tailed Eagle	1	2	3	4	5	6	7	8	9	10	11	12
Little Eagle			J	4	5	6	7	0	J	10	' '	+
Swamp Harrier	1				J	U	1					\vdash
Spotted Harrier			3	4	5	6		0	0	10	11	12
opolieu Hairiei			<u> </u>	4	J	O		8	9	ΙU	11	12
Grey Goshawk	1	2	3	4	5		7	8	9			

Collared Sparrowhawk

White-bellied Sea-Eagle

Foowoomba Bird Observers Whistling Kite	1	2		4	5	6	7	8	9	10	ch 20	12
Black Kite	1	2	3	4	5	6	7	8	9	10	11	12
Rainbow Bee-eater	1	2	3	4	5	6	7	8	9	10	11	12
Oriental Dollarbird	1	2	3	4	5	0	1	0	9	10	11	12
Azure Kingfisher	1		3		5		7		9	10	11	12
Sacred Kingfisher	1	2	3	4	5		1	8	9	10	11	12
Laughing Kookaburra	1	2	3	4	5	6	7	8	9	10	11	12
Nankeen Kestrel	1	2	3	4	5	6	7	8	9	10	11	12
Australian Hobby	1	2	3	4	5	U	7	8	9	10	11	12
Brown Falcon	- 1	2	3	4	5	6	7	0	9	10	11	12
Black Falcon	1			4	5	U	-		9	10		
Peregrine Falcon	- 1				3				9	10		
Cockatiel		2	3	4					9	10		
Red-tailed Black-Cockatoo		2	3	4	5	6		8	9	10	11	12
Glossy Black-Cockatoo		2	J	4	5	U		0	9		' '	12
Yellow-tailed Black-Cockatoo	1	2	3	4	5	6		8	9	10	11	12
Galah	1	2	3	4	5	6	7	8	9	10	11	12
Long-billed Corella	1		3	4	3	U	-	0	9	10	11	12
Little Corella	1	2	3	4	5	6	7	8	9	10	11	12
Sulphur-crested Cockatoo	1	2	3	4	5	6	7	8	9	10	11	12
Red-rumped Parrot	1	2	3	4	5	6	'	8	9	10	11	12
Bluebonnet	!			4	5	U		0		10	11	
Pale-headed Rosella	1	2	3	4	5	6	7	8	9	10	11	12
Musk Lorikeet	1	2	3	4	5	6	7	8	9	10	11	12
Little Lorikeet	1	2	3	4	5	6	'	O	9	10	11	12
Rainbow Lorikeet	1	2	3	4	5	6	7	8	9	10	11	12
Scaly-breasted Lorikeet	1	2	3	4	5	6	7	8	9	10	11	12
Australian King-Parrot	1	2	3	4	5	6	7	8	9	10	11	12
Red-winged Parrot	- '		5	7	5	0	'	0	3	10	11	12
Regent Bowerbird	1		3	4	5		7	8	9	10		
Satin Bowerbird	1	2	3	4	5	6	7	8	9	10	11	12
White-throated Treecreeper	1	2	3	4	5	6	7	8	9	10	11	12
Variegated Fairy-wren	1	2	3	4	5	6	7	8	9	10	11	12
Superb Fairy-wren	1	2	3	4	5	6	7	8	9	10	11	12
Red-backed Fairy-wren	1	2	3	4	5	6	7	8	9	10	11	12
White-winged Fairy-wren	- 1		5	7	5	0	'	0	3	10		12
Brown Honeyeater	1	2	3	4	5	6	7	8	9	10	11	12
Blue-faced Honeyeater	1	2	3	4	5	6	7	8	9	10	11	12
White-naped Honeyeater	1	2	3	4	5	6	7	8	9	10	11	12
White-throated Honeyeater	1	2	3	7	5	6	7	8	9	10	11	12
Brown-headed Honeyeater	'		-		5		<i>'</i>	0		10	'''	12
Striped Honeyeater	1	2	3	4	5	6	7	8	9	10	11	12
Little Friarbird	1	2	3	4	5	6	7	8	9	10	11	12
Noisy Friarbird	1	2	3	4	5	6	7	8	9	10	11	12
Scarlet Honeyeater	1	2	3	4	5	6	'	8	9	10	11	12
Eastern Spinebill	1	2	3	4	5	6	7	8	9	10	11	12
Lewin's Honeyeater	1	2	3	4	5	6	7	8	9	10	11	12
Spiny-cheeked Honeyeater			3	+	J		'	8	J	10	' '	12
)	1	1	1		Ü	1	ı IU	ı	1

Toowoomba Bird Observers	т	T -	1	1			1	1	1		ch 20)23
Fuscous Honeyeater	1	2	_	ļ <u></u>		_		_	_	10		<u> </u>
Yellow-faced Honeyeater	1	2	3	4	5	6	7	8	9	10	11	12
Yellow-tufted Honeyeater		2								10		
Bell Miner			3						9	10		
Noisy Miner	1	2	3	4	5	6	7	8	9	10	11	12
Yellow-throated Miner										10		
Spotted Pardalote	1	2	3	4	5	6	7	8	9	10	11	12
Striated Pardalote	1	2	3	4	5	6	7	8	9	10	11	12
Brown Gerygone				4						10		
White-throated Gerygone	1	2	3	4	5	6	7	8	9	10	11	12
Weebill			3	4	5		7			10		
Speckled Warbler	1	2	3	4	5	6	7	8	9	10	11	12
White-browed Scrubwren	1	2	3	4	5	6	7	8	9	10	11	12
Large-billed Scrubwren									9			
Yellow-rumped Thornbill	1	2	3	4	5	6	7	8	9	10	11	12
Yellow Thornbill	1	2		4	5	6	7			10	11	
Brown Thornbill	1	2	3	4	5	6	7	8	9	10	11	12
Buff-rumped Thornbill		2								10		
Grey-crowned Babbler	1	2	3	4	5	6	7	8	9	10	11	12
Varied Sittella	1		3	4				8	9	10		
Australasian Figbird	1	2	3	4	5	6	7	8	9	10	11	12
Olive-backed Oriole	1	2	3	4	5	6	7	8	9	10	11	12
Spotted Quail-thrush		2								10		
Eastern Shrike-tit	1	2	3	4				8				
Rufous Whistler	1	2	3	4	5	6	7	8	9	10	11	12
Golden Whistler			3	4	5	6	7	8	9	10		12
Little Shrike-thrush	1											12
Grey Shrike-thrush	1	2	3	4	5	6	7	8	9	10	11	12
Eastern Whipbird	1	2	3	4	5	6	7	8	9	10	11	12
Barred Cuckoo-shrike	1	2	3									
Black-faced Cuckoo-shrike	1	2	3	4	5	6	7	8	9	10	11	12
White-bellied Cuckoo-shrike	1				5			8		10		
Common Cicadabird	1	2		4					9	10	11	12
White-winged Triller											11	
Varied Triller	1	2	3	4	5			8	9			
Pied Currawong	1	2	3	4	5	6	7	8	9	10	11	12
Australian Magpie	1	2	3	4	5	6	7	8	9	10	11	12
Pied Butcherbird	1	2	3	4	5	6	7	8	9	10	11	12
Grey Butcherbird	1	2	3	4	5	6	7	8	9	10	11	12
Dusky Woodswallow		 -		<u> </u>					9	10		<u> </u>
White-breasted Woodswallow	1	2		4	5							<u> </u>
Willie Wagtail	1	2	3	4	5	6	7	8	9	10	11	12
Rufous Fantail	1	2	3	"	 	Ť	<u> </u>		9		' '	12
Grey Fantail	1	2	3	4	5	6	7	8	9	10	11	12
Spangled Drongo	1	2	3	4		6	7	8	9	10	' '	12
Leaden Flycatcher	1	2	3	4		0	<i>'</i>	0	9	10	11	12
Satin Flycatcher	1	_	٥	4					9	10		14
Restless Flycatcher		1		1	<u> </u>					10		1
resucss i lycalcilei				4	5	<u> </u>						$oldsymbol{ol}}}}}}}}}}}}}}}}}}$

1 2 3

4

5

6

8 9

10 11

12

Magpie-lark

March 2023

Toowoomba Bird Observers										IVIar	<u>en 20</u>	J <u>Z</u> 3
Spectacled Monarch		2	3		5							
White-eared Monarch					5			8	9			
Black-faced Monarch	1	2	3								11	12
Torresian Crow	1	2	3	4	5	6	7	8	9	10	11	12
Australian Raven										10		
White-winged Chough		2	3		5			8		10		
Apostlebird	1	2	3	4	5	6	7	8	9	10	11	12
Rose Robin				4	5	6	7	8	9			
Jacky Winter	1	2								10		
Eastern Yellow Robin	1	2	3	4	5	6	7	8	9	10	11	12
Horsfield's Bushlark										10		
Golden-headed Cisticola				4	5			8		10		
Australian Reed-Warbler		2								10		
Brown Songlark										10		
Tawny Grassbird	1	2	3	4	5	6			9	10	11	12
Fairy Martin	1	2	3	4	5	6	7	8	9	10	11	12
Tree Martin								8		10		
Welcome Swallow	1	2	3	4	5	6	7	8	9	10	11	12
Silvereye	1	2	3	4	5	6	7	8	9	10	11	12
Common Starling	1	2	3	4	5	6	7	8	9	10	11	12
Common Myna	1	2	3	4	5	6	7	8	9	10	11	12
Mistletoebird	1			4	5	6		8	9	10	11	12
Chestnut-breasted Mannikin	1	2	3	4	5	6		8	9	10		
Red-browed Finch	1	2	3	4	5	6	7	8	9	10	11	12
Plum-headed Finch	1									10		
Zebra Finch		2						8		10		
Double-barred Finch	1	2	3	4	5	6	7	8	9	10	11	12
House Sparrow	1	2	3	4	5	6	7	8	9	10	11	12
Australasian Pipit			3			6				10		

Copyright 2023 All rights reserved. While all due care has been taken to ensure that the content of this newsletter is accurate and current, there may be errors or omissions in this newsletter and no legal responsibility is accepted for the information in this newsletter.